
Index

AASHTO, 5-11, 5-15, 8-4, 12-3. *See also* American Association of State Highway and Transportation Officials.

acid test, 5-25

admixture, 9-1, 9-2, 9-10, 9-22, 9-28, 9-60, 9-61, 11-2

admixture stabilization. *See* stabilization, admixture.

adsorbed water, 4-15, 4-16. *See also* hygroscopic water.

aggregate(s), 1-1, 1-12, 1-13, 1-15, 1-16, 1-17, 1-21 through 1-23, 2-23, 3-1, 3-5, 3-18, 3-27, 3-36, 3-38, 5-21, 7-7, 8-9, 9-2, 9-3, 9-4, 9-5, 9-23, 9-26, 9-61, 9-62, 9-78, 9-80, 9-81, 11-3, 11-4, 11-5, 12-1, 12-5, 12-6, A-1, A-6, A-9

Agricultural Soil Classification System (ASCS), 5-33. *See also* soil classification systems.

airfield(s)

categories, 9-36, 9-42

cone penetrometer, 6-4 through 6-6

construction, 1-15, 1-17, 2-26, 5-14, 6-6, 8-1, 8-6, 9-4, 9-22, 9-45

design, 1-28, 3-33, 4-5, 5-5, 5-6, 5-17, 6-1 through 6-5, 8-9, 9-26, 9-29, 9-35, 9-46 through 9-48, 9-51, 9-54, A-4, A-6

frost action, effects of, 7-7, 7-9, 7-12, 8-12

stabilization of, 9-1

testing, 8-23

waterproofing, 9-8, 9-9

Airfield Classification System, 5-1. *See also* soil classification systems.

airfield index (AI), 6-4. *See also* AI.

alkali, 1-12, 1-13, 1-15, 1-16, 1-22, 1-23, C-1

alluvial fan(s), 3-6, 3-17, 3-18, 3-20, 3-36, 3-38

coalescing, 3-17, 3-18

glaciofluvial, 3-23

alluvial terrace(s), 3-6, 3-14, 3-32, 3-38

alluvium, 2-13

Alpine glaciation, 3-18, 3-23. *See also* glaciation.

American Association of State Highway and Transportation Officials, 5-11, 5-15, 8-4. *See also* AASHTO.

bearing strength, 8-22, 9-3, 9-8, 9-9, 11-2

bed load, 3-30

bedding plane(s), 1-1, 1-6, 1-8, 1-13, 2-1, 2-4, 2-10, 2-24, 4-3, 10-2, 10-8, 10-10

bedrock, 2-3, 2-13, 2-14, 3-2, 3-27, 4-1, 7-2, 10-10, 10-16, 10-17, 10-20
map, 2-13

bentonite, 4-16, 5-4. *See also* clay mineral.

bite or grit test, 5-24

bitumen

types of, 9-22, 9-23, 9-26, 9-57, 9-58

bituminous-stabilized soil, 9-22

bogs, 3-10, 10-22, 11-1, 11-8

borrow

pit, 3-1, 3-18, 3-36, 8-5, 8-6, 12-1, 12-5

soil, 9-53, 12-1, 12-5

source, 3-1, 3-18, 3-36, 5-5, 8-5, 9-4, 9-5, 9-8, 9-53, 12-1, 12-5

Boussinesq theory, 11-4

bracing systems, 6-9, 6-16, 6-17

braided stream, 3-2

breaking or dry strength test, 5-21, 5-22

breccia, 1-14, 1-21, 2-6, 2-7

Brunton compass, 2-11

bulkhead, 6-9

bulking of sands, 4-17

calcite, 1-2, 1-4, 1-5, 1-8, 1-15, 1-17, 1-20. *See also* calcium carbonate.

calcium, 4-16, 5-19, 5-25

carbonate 1-8, 1-13, 1-20, 3-33, 4-16, 5-19, 5-25, 9-21, 9-59, B-1, C-3. *See also* calcite; caliche.

caliche, 3-33, 9-2. *See also* calcium carbonate.

California bearing ratio (CBR), 5-6, 6-3, A-1. *See also* CBR.

capillary

action, 3-33, 4-16, 7-2, 7-3, 7-8, 9-9

fringe, 7-2

moisture, 7-1, 7-2, 7-3, 7-4

phenomena, 4-16

potential, 7-2

rise, 4-16, 5-14, 7-2, 7-3

saturation, 7-3

stress, 4-16

- carbonation, 4-2, 9-78
- CBR, 5-6, 5-13, 5-14, 5-17, 6-3, 6-4, 6-6, 6-7, 8-2, 8-7, 8-9, 8-16, 8-22, 8-23, 9-15, 9-29, 9-30, 9-32, 9-45, 9-46, 9-47, 9-48, 11-3, 11-5, 11-8, 12-2, 12-3, 12-5, A-1, A-4, A-6, A-9. *See also California bearing ratio.*
- CBR design methodology, A-1
- CE 55, 8-3, 8-4, 8-6, 8-7, 8-9, 8-12, 8-16, 8-23, 9-78, A-1, A-4. *See also* compactive effort.
- channel bar(s), 3-6, 3-10, 3-38
- chemical
 - composition of rocks, 1-1, 1-4, 1-6, 1-8, 1-9, 1-13, 1-16, 1-17, 1-20, 1-21, 1-22, 1-23, 2-13
 - stabilization. *See* soil stabilization, chemical.
 - structure of soil, 4-15, 5-19
- chemical stabilization. *See* stabilization, chemical.
- chert, 1-3, 1-13, 1-14, 1-15, 1-20, 1-23
- chlorite, 1-4, 1-5, 1-16
- clastic
 - particles, 1-6, 1-8
 - rocks, 1-13, 1-15
- clay
 - A horizon, 4-4
 - cause of rock flow or rebound, 2-26
 - characteristics, 5-21, 5-25, 5-31, 6-6, 7-11
 - compaction, 8-18
 - construction with, 6-11, 6-16, 7-12, 7-14, 8-4, 8-6, 8-15, 12-1
 - frost action on, 5-13
 - odor, 1-5, 1-15, 1-16
 - plasticity and cohesion, 4-15, 6-2
 - shear strength, 10-3, 10-7, 10-11
 - shrinkage, 4-17
 - volume changes, 4-14, 8-2, 8-11, 9-2
- clay minerals, 1-4, 1-5, 1-15, 4-12, 4-16
- clay plug, 3-38
- claystones, 1-13
- cleavage, 1-1, 1-2, 1-3, 1-4, 1-18, 2-6
- clinometer, 2-11. *See also* Brunton compass.
- coarse-grained soil, 5-1, 5-2, 5-6

- cobbles, 3-18, 3-38
- coefficient of curvature, 4-7
- coefficient of uniformity, 4-7
- cohesionless soil(s), 4-15, 6-2, 6-9, 6-11, 7-3, 8-2, 8-9, 8-19, 8-20, A-6
- cohesive soil(s), 4-15, 4-18, 5-14, 5-21, 5-23, 6-2, 6-3, 6-16, 8-5, 8-15, 8-18, 9-22, 9-57, 10-3
- colloidal, 1-4, 4-15, 4-16, 5-19, 5-24
- color
 - rocks and minerals, 1-1, 1-3, 1-4, 1-5, 1-10 through 1-16, 1-20, 1-21
 - soil, 4-4, 5-5, 5-6, 5-17 through 5-19, 5-32, 9-60, 9-80, 12-1, 12-2, 12-5
- compaction
 - density requirements, 5-14, 8-8, 8-10
 - equipment, 5-14, 6-11, 8-6, 8-12, 8-18 through 8-20
 - pneumatic roller, 8-19, 8-20
 - pneumatic-tired roller, 8-11, 8-12, 8-15, 8-17 through 8-19, 9-79 through 9-81
 - properties affected, 8-1
 - self-propelled, pneumatic-tired roller, 8-19 through 8-21
 - self-propelled, smooth-drum vibratory roller, 8-6, 8-15, 8-20, 8-21, 8-24
 - sheepsfoot roller, 5-14, 8-6, 8-15, 8-19 through 8-21
 - steel-wheeled roller, 5-14, 8-20, 8-11, 8-20, 9-80, 9-81
 - subgrade, 8-9
 - tamping-foot roller, 8-20, 8-21
- compactive effort, 8-2, 8-3, 8-4, 8-6, 8-18, 8-19, 8-21, 8-24, 9-80, 12-6, A-1, A-4, A-6.
See also CE 55.
- compactor selection, 8-20
- compressibility, 5-4, 5-6, 5-14, 6-1, 6-2, 7-6
- compressive load, 6-1, 6-2
- compressive strength, 8-2, 9-12, 9-15, 9-19, 9-22, 9-35
- concrete, 1-13, 1-14, 1-15, 1-16, 1-21, 1-22, 1-23, 4-12, 4-17, 6-7, 6-8, 6-9, 6-11, 7-1, 7-7, 7-13, 8-12,
9-11, 9-46, 9-47, 9-59, 9-77, 12-1, 12-6, 12-7
- consistency limit(s), 4-17. *See also* Atterberg limits.
- consolidation, 1-8, 5-13, 5-14, 6-1, 6-2, 6-3, 8-1, 8-2, 8-6
- construction
 - airfield, 1-15
 - arctic and subarctic soils, 12-7
 - ecological impact of, 12-13

embankments. *See* embankments, construction of.
expedient methods, 6-6, 9-19, 9-22, 9-26, 9-28
hazards of, 1-16, 2-13, 2-24 through 2-26, 2-28, 9-10, 12-5. *See also* Appendix C.
permanent, 8-22, 9-30
sources of materials, 1-1, 3-6 through 3-18, 4-16, 12-5. *See also* borrow pit.
techniques, 9-22

contact metamorphism zone, 1-8

Continental glaciation, 3-18. *See also* glaciation.

control of

- compaction, 8-11, 8-16
- construction process, 8-12
- construction quality, 8-22
- dust. *See* dust, control of.
- moisture, 8-9, 8-15, 8-16
- pollution, 9-23
- rolling process, 8-16
- sand. *See* sand, control of.
- soil mixture, 9-12, 9-14
- surface deformation, 7-16
- undesirable effects of clay, 9-3

coral, 1-5, 1-15, 9-2, 12-5, 12-6

- pit-run, 12-5
- rock, 12-5, 12-6
- sand, 12-5
- skeleton(s), 1-5

cross bedding, 1-13

cross section(s), 2-14, 6-14, 8-15, 9-75, 9-80, 11-8

crystal form, 1-1, 1-2

curing, 8-4, 9-21, 9-56, 9-58, 9-59, 9-60, 9-63, 9-71, 9-78, 9-79, 9-80, 9-81

DCA 1295, 9-62, 9-63, 9-71. *See also* polyvinyl acetate.

decantation, 4-7, 7-13

deflation, 3-30, 3-32

deformation(al), 1-16, 2-1, 2-3, 2-9, 2-26, 4-15, 5-23, 6-2, 6-7, 6-17, 7-16, 8-19, 10-18

delta(s), 3-6, 3-14, 3-16, 3-17, 3-23, 3-27, 3-28

- arcuate, 3-16, 3-17, 3-38
- bird's-foot, 3-16, 3-17
- cross bedding, 1-13

- deposits, 1-13
 - elongate, 3-16, 3-17
 - source of construction material, 3-13, 3-15
 - types, 3-16, 3-17
- delta kame, 3-23. *See also* kame(s).
- dendritic drainage pattern(s), 2-19, 3-1, 3-2, 3-28
- density determination, 8-15
- desert pavement, 3-30, 3-32, 3-33, 3-35, 3-36, 3-38
- desert soils, 11-7, 12-6, 12-7
- desert terrain, 12-6
- determination of
 - frost susceptibility, 8-16, 8-17, 9-19, 9-29, 9-45
 - geologic materials
 - lime content, 9-19
 - moisture content, 8-16, 8-17
 - soil density, 8-15, 8-16
 - soil type, 4-6
- diatomaceous soil(s), 5-4, 5-6, 8-3
- diking, 8-5. *See also* ponding.
- diorite, 1-11, 1-12, 1-21
- dip, 2-19, 2-22, 2-23, 2-24, 2-25, 2-26, 10-10. *See also* strike and dip.
- discordant
 - batholiths and stocks, 2-23
- dikes, 1-6, 2-23
- dolomite, 1-4, 1-5, 1-8, 1-13, 1-14, 1-15, 1-17, 1-20
- dome(s), 2-4, 2-17, 2-22, 3-2, 3-33. *See also* fold(s).
- drag force, 10-8. *See also* seepage force.
- drumlin(s), 3-23, 3-27, 3-28
- dry sieve analysis, 4-6
- dry strength test, 5-21, 5-22
- dune(s), 1-13, 3-32, 3-33, 3-35, 3-36, 3-38, 4-12, 9-71, 9-75, 9-76, 9-77

- dust, control of, 9-48, 9-51, 9-54, 9-55
 - areas requiring treatment, 9-55
 - dust palliative(s), 9-55 through 9-71
 - effects of dust, 9-54
 - hazard, 9-71
 - heliports, 9-71, 9-73
 - methods, 9-57 through 9-63
 - program, 9-55
 - roads and cantonment areas, 9-71, 9-72

- earth retaining structures, 6-3, 6-9, 11-9. *See also* retaining walls.

- earthquakes, 2-26, 2-28

- ecological impact, 12-13

- ejecta, 1-11

- embankment construction, 5-14, 5-15, 5-17, 8-15

- end moraine, 3-18, 3-20, 3-23, 3-27, 3-28. *See also* terminal moraine.

- eolian deposit(s), 3-36, 4-3 5-18

- eolian features, 3-28, 3-32, 3-35, 3-36, 3-38

- eolian process, 3-28, 5-18

- erosion, 2-9, 2-22, 2-23, 3-1, 3-2, 3-5, 3-10, 3-14, 3-17, 3-18, 3-28, 3-30, 4-3, 6-14, 6-15, 7-1, 9-1, 9-9, 9-55, 9-57, 10-7, 10-8, 10-10, 10-16, 11-2, 12-2, 12-6

- escarpments, 2-19

- esker(s), 3-18, 3-20, 3-23, 3-28, 3-38

- excavation, 1-1, 1-12, 1-17, 1-22, 2-1, 2-3, 2-4, 2-6, 2-9, 2-13, 2-23, 2-24, 2-25, 2-26, 4-2, 6-11, 6-13, 6-16, 6-17, 10-2, 10-8, 10-13, 10-20

- excavation bracing, 6-16. *See also* earth retaining structure(s); retaining wall(s).

- exfoliation, 2-9, 4-2. *See also* spalling.

- expansive clay(s), 8-2, 8-11

- expedient, 6-6, 8-12, 8-16, 9-2, 9-3, 9-4, 9-19, 9-22, 9-26, 9-28, 9-30, 9-36, 9-45, 9-47, 9-48, 11-9, 11-12, 12-4
 - conditions (moisture content), 6-6, 6-16
 - construction methods. *See* construction, expedient methods.
 - soil strength measurements, 6-6

extrusive rocks, 1-6, 1-10, 1-12, 1-20, 2-9

facets, 3-30

fault(s), 2-6, 2-7, 2-8, 2-14, 2-22, 2-23, 2-24, 2-25, 2-26, 2-28, 10-1, 10-2
 line 2-7
 movement. *See* earthquake(s).
 patterns, 2-22
 plane, 2-6 through 2-8, 2-14, 2-22, 2-23
 scarp, 2-7
 vertical, 2-7
 zone 2-6, 2-7, 2-25, 2-26, 2-28, 10-1, 10-2

feel test, 5-25

feldspar, 1-5, 1-12, 1-15, 1-16

felsite, 1-11, 1-12, 1-13, 1-15, 1-20

felsitic, 1-12, 1-13

field proportioning. *See* proportioning, field.

field test, 5-1

fill, 1-4, 1-8, 1-15, 3-14, 6-11, 6-13, 7-3, 7-4, 7-12, 8-6, 8-9, 8-12, 8-15, 8-22, 9-63, 10-10, 10-12,
 10-14, 10-19, 10-20, 10-21, 11-2, 11-12, 12-2, 12-9

filter

 blanket, 7-16

 design, 7-6

 material(s), 6-11, 6-12, 7-6, 7-7, 7-14, 7-16, 10-21, 11-2

fine-grained soils, 5-1, 5-4, 5-6

fissility, 1-13

fissure, 1-11, 3-23

floodplain(s), 1-6, 2-23, 3-5, 3-6, 3-10, 3-14, 3-35

fluvial process, 3-1, 3-14, 3-16, 3-17, 3-18, 3-36, 3-38

fly ash, 9-10, 9-21, 9-22, 9-35, 9-45, 9-46, 9-47, 9-48, 9-80, B-1, C-3

fold(s), 2-1, 2-3, 2-4, 2-6, 2-11, 2-13, 2-14, 2-17, 2-22
 anticline, 2-4, 2-6, 2-22
 basin, 2-4, 2-8, 2-17, 2-22
 dome, 2-4, 2-17, 2-22, 3-2
 homocline, 2-4

monocline, 2-4
plunging, 2-4, 2-17, 2-22
syncline, 2-4, 2-6, 2-22

fold axes, 2-13, 2-14

foliated rocks, 1-16

foliation, 1-9, 1-21, 2-6, 2-11, 2-23, 2-24

foot wall, 2-7, 2-8. *See also* fault(s).

formation(s), 1-1, 1-5, 1-8, 1-9, 2-3, 2-9, 2-13, 2-14, 2-19, 2-23, 3-23, 3-33, 4-1, 4-3, 5-13, 5-21, 5-32, 6-13, 7-8, 7-16, 9-54, 9-71, 12-1, 12-2, 12-3, 12-5

foundation(s), 1-12, 1-17, 2-13, 2-23, 4-3, 4-7, 4-13, 5-5, 5-14, 5-17, 5-24, 6-7, 6-8, 6-13, 6-16, 8-1, 8-2, 8-6, 9-1, 10-14, 10-21, 11-1
roads and airfields, 5-5

fracture(s), 1-1, 1-3, 1-4, 1-10, 1-17, 1-18, 1-20, 2-6, 2-8, 2-9, 2-23 through 2-25, 4-2, 10-1

fracture plane, 2-6

free water, 7-1, 7-2, 7-7, 11-2

freezing, 1-22, 4-1, 5-13, 6-13, 7-7, 7-8, 7-9, 7-10, 7-11, 7-12, 7-13, 7-14, 8-12, 9-19, 9-58

freezing index, 7-7, 7-13

friction, 5-21, 6-3, 6-8, 6-9, 6-11, 7-2, 9-2, 10-2, 10-3, 10-7

frost action, 1-12, 1-16, 4-1, 4-7, 5-5, 5-6, 5-13, 6-11, 6-13, 6-15, 7-1, 7-3, 7-4, 7-7, 7-11, 7-12, 7-13, 7-14, 7-16, 7-17, 8-12, 9-3, 9-4, 9-30
control of, 7-14
heave, 5-6, 7-11, 7-12
susceptible, 6-13, 7-11, 7-12, 7-13, 7-14, 7-16, 9-22

gabbro, 1-4, 1-11, 1-12, 1-21

gabbro-diorite(s), 1-12, 1-21

gabion(s), 6-11, 6-14, 6-15. *See also* earth-retaining structure(s); retaining wall(s).

gap-graded soil, 4-10, 5-18, 7-16

geofabric, 11-1, 11-3. *See also* geotextile(s).

geologic map(s) 1-21, 2-4, 2-7, 2-11, 2-13, 2-14, 2-17, 2-22, 2-23, 3-1, 10-2. *See also* maps.

geological soil classification, 5-32

- geotextile(s), 5-5, 9-2, 9-9, 9-10, 11-1, 11-2 through 11-4, 11-6, 11-8, 11-9, 12-7. *See also* geofabric.
- glacial process, 3-18, 3-28
- glaciation, 3-18
- gneiss(es), 1-4, 1-12, 1-16 through 1-18, 1-20, 2-6
- gouge, 2-6, 2-7. *See also* fault zone.
- graben, 2-8. *See also* fault(s).
- gradation of soil particles, 4-7
- grain size
 sedimentary rock, 1-13
 soil particles, 5-1 through 5-4
- granite, 1-5, 1-11, 1-12, 1-21, 9-2
- gravel(s), 1-14, 1-16, 3-1, 3-28, 3-30, 3-33, 4-6, 4-7, 4-17, 4-18, 5-1, 5-2, 5-5, 5-13, 5-18, 5-19, 5-21, 5-31, 5-33, 5-35, 5-36, 6-2, 6-4, 6-6, 6-9, 7-16, 8-15, 9-2, 9-3, 9-4, 9-10, 9-46, 9-55, 9-57, 9-60, 9-62, 9-78, 11-12, 12-1, 12-2, 12-3, 12-6, 12-13
- gravity fault(s), 2-8. *See also* normal fault(s).
- grit test, 5-24
- ground moraine, 3-20, 3-27, 3-28. *See also* till plains.
- groundwater, 1-20, 2-10, 2-13, 2-23, 2-25, 2-26, 4-2, 4-14, 5-13, 5-14, 7-2, 7-6, 7-10, 7-12, 7-13, 7-14, 9-9, 10-1, 10-2, 10-7, 10-8, 10-10, 10-11, 10-12, 10-13, 10-14, 10-16, 10-17, 10-20, 10-21, 10-22, 10-23, 12-2
- hanging wall, 2-7, 2-8. *See also* fault(s).
- hardness, 1-1, 1-2, 1-3, 1-15, 1-20, 1-21, 1-22, 5-17
 test, 1-20
- headwall, 6-15, 10-10, 10-16, 10-17, 10-18
- heave, 2-7, 7-12, 7-17. *See also* fault(s).
- heaving. *See* frost action.
- homocline, 2-4. *See also* fold(s).
- horizons, 4-4, 5-32

horizontal strata, 2-17, 2-19

horst, 2-8. *See also* fault(s).

hummocky, 10-11, 10-21

hydrated lime, 9-18, 9-60, C-1

hydration, 4-2, 12-7. *See also* weathering, chemical.

hydrolysis, 4-2, 12-1. *See also* weathering, chemical.

hygroscopic moisture, 7-1

ice crystals, 7-8

igneous rocks, 1-4, 1-5, 1-6, 1-8, 1-9, 1-10, 1-11, 1-12, 1-17, 1-20, 1-21, 2-6, 2-7, 2-9, 2-23, 2-26, 3-2, 4-2, 10-1, 10-16, 10-22, 10-23

illite, 10-3, 10-7

infiltration, 5-13, 5-14, 7-6, 7-10, 7-14

intrusions, 1-6, 1-10, 2-7, 2-23, 10-1

intrusive rocks, 1-6, 1-10, 1-12, 1-21, 2-17, 2-28

iron oxides, 1-4, 1-5, 1-8, 1-15, 5-19

joint(s), 2-1, 2-8, 2-9, 2-10, 2-24, 2-26, 4-2, 4-3, 6-4, 7-1, 7-16, 8-12, 9-63

jointing, columnar, 1-11, 1-21

joint sets, 2-9

kame(s), 3-18, 3-23, 3-27, 3-38. *See also* delta kame.

kame terrace, 3-38

karst, 4-2, 4-3

kettle, 3-23, 3-28

klippen, 2-23

lag deposits, 3-32

lake bed deposits, 3-38

lapilli, 1-11. *See also* ejecta; tuff.

laterite, 1-5, 4-12, 12-1, 12-2, 12-3, 12-4

lateritic soil, 4-3, 12-1, 12-2, 12-3, 12-4, 12-5

lava, 1-6, 1-10, 1-11, 1-12, 1-13, 1-20, 1-21, 2-9

levee(s), 3-1, 3-6, 3-10 3-14, 3-38

lime, 1-5, 1-8, 9-2, 9-10, 9-18, 9-19, 9-21, 9-22, 9-32, 9-35, 9-45, 9-47, 9-48, 9-60, 9-78, 9-79, 9-80, 9-81, 12-4, B-1, C-1

limestone, 1-5, 1-8, 1-13, 1-14, 1-15, 1-17, 1-20, 2-26, 4-2, 9-5, 9-26, A-1

lineations, 2-7

liquid limit (LL), 4-18, 5-5. *See also* LL.

lithification, 1-8, 1-20, 2-9

LL, 4-18, 5-3, 5-4, 5-5, 5-6, 5-14, 5-25, 5-30, 5-33, 9-3, 9-4, 9-5, 9-8, 9-10, 9-19, 9-45, 9-46, 9-47, 9-56, 12-4, A-4, A-6, A-9

loess, 2-23, 3-32, 3-35, 3-38

loess deposits, 3-32, 3-35

loose sand, 4-5, 6-2, 9-3, 9-4

luster, 1-1, 1-3, 1-4, 1-16

magma, 1-6, 1-8, 1-20

mantle, 1-5, 10-8, 10-10, 10-16, 10-18

map(s), 1-21, 2-4, 2-7, 2-11, 2-13, 2-14, 2-17, 2-19, 2-22, 2-23, 3-1, 3-6, 3-10, 3-14, 3-18, 3-27, 3-35, 4-1, 4-3, 5-17, 5-29, 5-32, 10-1, 10-2, 10-17. *See also* geologic maps.

marble, 1-5, 1-17, 1-20, 1-21

marl, 9-5, 12-7

meander, 3-1, 3-6, 3-10

mechanical, 1-21, 4-3, 4-7, 4-12, 4-18, 5-5, 5-19, 6-11, 6-15, 7-7, 9-1, 9-2, 9-3, 9-4, 9-5, 9-10, 9-22, 9-60, 9-71, 9-75, 9-76, 9-77, 10-10, 11-1, 12-2, 12-4, C-2, C-3, C-5
 analysis, 4-7
 stabilization
 bituminous, 9-1, 9-2, 9-3, 9-22, 9-77, 12-4
 cement, 9-1, 9-2, 9-3, 9-22, 9-77, 12-4

fly-ash, 9-1, 9-2, 9-3, 9-22, 9-77, 12-4
lime, 9-1, 9-2, 9-3, 9-22, 9-77, 12-4

membrane surface, 9-26, 9-55, 9-61, 9-62, 9-63, 9-79, 9-81.

metamorphic rocks, 1-4, 1-5, 1-6, 1-8, 1-9, 1-16, 1-17, 1-18, 2-6, 3-2, 10-2

metamorphism, 1-5, 1-8, 1-16, 1-17

mica(s), 1-2 through 1-5, 1-12, 1-16, 1-17, 4-12, 5-22, 6-2, 9-61

micaceous soils, 5-4, 5-6

microcrystalline, 1-4, 1-13, 1-15

mineral(s), 1-1, 1-2, 1-3, 1-4, 1-5, 1-6, 1-8, 1-10, 1-11, 1-12, 1-13, 1-15, 1-16, 1-18, 1-20, 1-21, 4-1, 4-2, 4-3, 4-16, 5-17, 9-23, 9-61, 9-62, 10-7

mixing, 5-17, 5-18, 7-16, 8-5, 8-6, 8-19, 9-2, 9-4, 9-8, 9-21, 9-22, 9-23, 9-60, 9-61, 9-78, 9-79, 9-80, 9-81, 12-9

moisture content, field determination of, 8-16

moisture-density, 5-14, 8-2, 8-4, 8-6, 9-14, 9-21

monocline, 2-4. *See also* fold(s).

montmorillonite, 4-16, 10-7

moraine, 3-18, 3-20, 3-23, 3-27, 3-28

muck, 11-2

mud cracks, 1-14

mudstone, 1-3

natural levees, 3-6, 3-10, 3-14, 3-38

nontraffic area, 9-60

normal faults, 2-8. *See also* gravity faults.

nuclear densimeter, 8-16, 8-17

obsidian, 1-3, 1-10, 1-12, 1-13, 1-20, 1-23

occasional-traffic areas, 9-55, 9-59, 9-62

odor test, 5-24

olivine, 1-4, 1-12

OMC, 5-29, 8-2, 8-4, 8-6, 8-9, 8-12, 8-15, 8-16, 8-17, 9-2, 9-22, 9-80, 12-6, A-4, A-6. *See also* optimum moisture content.

optimum moisture content (OMC), 5-29, 8-3

organic soils, 5-1, 5-5

outcrop, 1-6, 2-3, 2-4, 2-7, 2-14, 2-17, 2-19, 2-22

outcrop patterns, 2-4, 2-14, 2-22

outwash, 3-18, 3-20, 3-27, 3-35, 3-38

outwash plains, 3-18, 3-20, 3-38

overthrust faults, 2-8

oxbow lake(s), 3-6, 3-10, 3-38

oxidation, 4-2, 12-1

parabolic dune, 3-33. *See also* dunes.

parent rock, 1-8, 1-9, 4-3

pavement, 1-23, 3-30, 3-32, 3-33, 3-35, 3-36, 3-38, 4-17, 5-13, 5-14, 6-2, 6-7, 7-1, 7-2, 7-3, 7-9, 7-12, 7-13, 7-14, 7-16, 7-17, 8-2, 8-9, 8-11, 8-12, 8-19, 8-21, 9-10, 9-14, 9-18, 9-19, 9-26, 9-28, 9-29, 9-30, 9-35, 9-42, 9-47, 9-48, 9-55, 11-1, 11-2, 11-5, 11-6, 11-9, 12-3, 12-7, 12-9
 design of, 5-13, 7-16, 8-9, 8-11, 9-26, 9-28, 9-42, 12-3, 12-7
 flexible(s), 5-13, 5-14, 6-3, 7-3, 7-13, 8-9, 8-12, 9-10, 9-28, 9-35, 9-42, 12-7, 12-9
 rigid, 4-16, 5-13, 5-14, 6-15, 7-13, 7-16, 8-6, 8-12

peat, 1-8, 4-1, 5-5, 5-30, 11-1, 11-8

pedological soil classification, 5-31

pedology, 4-5, 5-31

pegmatites, 1-10

penetration test, 6-4

penetrometer, 6-4, 6-5, 6-6

percolation, 7-2, 7-4, 9-9

permeability, 1-1, 3-2, 4-7, 4-16, 4-19, 5-14, 5-17, 6-1, 6-15, 7-4, 8-2, 9-57

phenocrysts, 1-10

PI, 4-15, 4-18, 4-19, 5-3, 5-4, 5-5, 5-6, 5-13, 5-30, 6-16, 8-9, 9-3, 9-4, 9-5, 9-8, 9-10, 9-11, 9-19, 9-21, 9-45, 9-46, 9-47, 9-48, 9-59, 9-61, 12-1, 12-4, A-4, A-6, A-9. *See also* plasticity index.

pier(s), 2-26, 6-8, 6-9

piles, 6-8, 6-9, 9-78, 9-80
 anchor, 6-8, 6-9, 9-78, 9-80
 batter, 6-8, 6-9, 9-78, 9-80
 bearing, 6-8, 6-9, 9-78, 9-80
 end-bearing, 6-8, 6-9, 9-78, 9-80
 friction, 6-8, 6-9, 9-78, 9-80
 sheet, 6-8, 6-9, 9-78, 9-80

pistol-butted trees, 10-18

PL, 4-18, 4-19, 5-5, 5-18, 5-22, 5-23, 5-25, 8-4, 8-16, 9-19, A-6. *See also* plastic limit.

plastic limit (PL), 4-18, 5-5. *See also* PL.

plasticity chart, 4-19, 5-2, 5-3, 5-4, 5-23, 5-33

plasticity index, 4-15, 4-18, A-4

platy, 1-15, 1-18, 1-20, 4-10, 4-12, 4-15, 6-2

plunging fold(s), 2-17, 2-22. *See also* fold(s).

pneumatic-tired roller, 8-18, 8-19, 8-21, 9-81. *See also* compaction equipment.

point bar(s), 3-6, 3-10, 3-38

polygonal cracks, 1-14

polyvinyl acetate, 9-61, 9-62, 9-63. *See also* DCA 1295.

ponding, 8-5, 10-22, 12-1. *See also* diking.

portland cement, 1-15, 1-16, 8-17, 9-10, 9-22, 9-32, 9-60, C-1

pozzolanic, 9-21, B-1

proportioning
 arithmetical, 4-10, 9-4, 9-5, 9-6, 9-8
 field, 4-10, 9-4, 9-5, 9-6, 9-8
 graphical, 4-10, 9-4, 9-5, 9-6, 9-8
 numerical, 4-10, 9-4, 9-5, 9-6, 9-8

pulvimixer, 9-78, 9-81

pumice, 1-11, 1-12, 1-13, 1-15, 1-20

pyroclastic, 1-10

pyroxene, 1-4

quality control

corrective actions, 8-22, 8-23

plan, 8-22, 8-23

theater-of-operations, 8-22, 8-23

quarry(ies), 2-10, 2-23, 2-26, 3-1, 12-5

quartz, 1-2, 1-3, 1-4, 1-5, 1-6, 1-8, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-20, 1-21

quartzite, 1-17, 1-21

quick lime, 1-5, 1-8, 9-2, 9-10, 9-18, 9-19, 9-21, 9-22, 9-32, 9-35, 9-45, 9-47, 9-48, 9-60, 9-78, 9-79, 9-80, 9-81, 12-4, B-1, C-1

radial, 2-22, 3-1, 3-2

rakes, 6-17

recessional moraine, 3-23, 3-27, 3-28. *See also* end moraine.

recrystallization, 1-8, 1-9

recumbent fold, 2-6

relative density, 4-14

residual soil, 4-3

resinous, 1-3

resins, 9-57, 9-59

retaining wall(s), 6-3, 6-9, 6-11, 6-13, 6-14, 6-15, 11-9, 11-12

Revised Public Roads System, 5-29, 5-30, 5-33. *See also* soil classification systems.

ribbon test, 5-21, 5-23

ridge nose, 10-20, 10-22

ripple marks, 1-14

riprap, 1-22, 10-12, 10-13, 10-23, 11-2

road-location, 10-18, 10-21, 10-22

roads, 2-7, 2-26, 4-14, 5-1, 5-5, 5-6, 5-13, 5-14, 5-17, 5-29, 5-30, 5-33, 5-35, 6-4, 6-15, 7-3, 7-9, 7-12, 7-14, 8-1, 8-2, 8-6, 8-23, 9-1, 9-26, 9-28, 9-29, 9-30, 9-42, 9-55, 9-57, 9-60, 9-71, 10-1, 10-2, 10-11, 10-13, 10-14, 10-16, 10-17, 10-18, 10-19, 10-20, 10-21, 10-22, 11-5, 11-8, 11-12, 12-6, 12-7, A-1

rock cycle, 1-6

rock identification, 1-17 through 1-21

rockslides, 10-8, 10-10

roll or thread test, 5-22

rolled-earth, 8-12

rotary mixer, 9-78, 9-80

sag pond, 10-11

sand(s), 1-13, 1-21, 3-2, 3-6, 3-10, 3-14, 3-17, 3-18, 3-20, 3-23, 3-27, 3-32, 3-38, 4-7, 4-10, 4-11, 4-14, 4-15, 4-17, 4-18, 4-19, 5-2, 5-4, 5-5, 5-13, 5-18, 5-21, 5-22, 5-23, 5-24, 5-36, 6-2, 6-5, 6-6, 6-11, 6-16, 7-2, 7-3, 7-4, 7-6, 7-12, 8-2, 8-4, 8-9, 8-11, 8-15, 8-20, 9-56, 9-59, 11-1, 12-2, 12-5

blanket, 7-4

control of, 9-71 through 9-77

stabilization. *See* stabilization, sand.

sandstone

Type I, 1-14, 1-15, 1-17, 1-18, 1-21, 3-2, 10-8, 10-16, 10-20, 10-22

Type II, 1-14, 1-15, 1-17, 1-18, 1-21, 3-2, 10-8, 10-16, 10-20, 10-22

scarp, 2-7, 10-11. *See also* fault(s).

schist, 1-16, 1-18

schistosity, 1-18, 2-1, 2-6

scoria, 1-10, 1-11, 1-12, 1-13, 1-20

scrim, 9-63

sedimentary rocks, 1-4, 1-5, 1-6, 1-8, 1-9, 1-13, 1-14, 1-15, 1-17, 1-20, 1-21, 2-1, 2-3, 2-4, 2-6, 2-9, 2-10, 2-11, 2-26, 3-2, 3-14, 4-3, 10-10, 10-22

seepage, 5-17, 7-1, 7-2, 7-4, 7-14, 8-2, 10-8, 10-10, 10-16, 11-2

seepage force, 10-8

seismic, 2-1, 2-7, 2-26, 2-28

settlement, 2-26, 5-13, 6-1, 6-2, 6-3, 6-13, 6-14, 7-4, 8-1, 8-6, 12-9

shaking test, 5-23, 5-24

shale, 1-5, 1-13, 1-14, 1-15, 1-16, 1-20, 2-6, 2-26, 3-2, 5-25

shallow foundation(s), 6-7, 6-8. *See also* foundations.

shear plane, 10-3

shear strength, 6-3, 8-6, 10-3, 10-7, 10-10, 10-11, 10-16, 11-3

shearing, 4-15, 4-18, 6-1, 6-3, 7-3, 7-13, 8-1, 8-2, 8-11, 8-24, 10-3, A-1

shearing resistance, 6-1, 6-3, 8-1, 8-2, 8-11, A-1

sheepsfoot roller, 5-14, 8-6, 8-12, 8-15, 8-17, 8-18, 8-19, 8-20, 9-60, 9-79, 9-80, 9-81. *See also* compaction equipment.

shine test, 5-25

shrinkage, 4-14, 4-16, 4-17, 5-22, 7-12, 8-2, 8-12

shrinkage limit, 4-17

silica, 1-4, 1-6, 1-11, 1-12, 1-13, 1-15, 1-18, 1-20, 1-22, 1-23, 5-19, 9-26, 12-2

silt, 1-8, 1-15, 3-27, 4-6, 4-14, 4-17, 5-1, 5-2, 5-4, 5-5, 5-19, 5-21, 5-24, 5-30, 5-31, 5-33, 5-36, 6-2, 6-9, 7-11, 7-12, 7-14, 8-15, 9-3, 10-8, 10-11

siltstone, 10-16, 10-21, 10-22

slag, 1-13, 9-2, 9-3, 9-62

slaking, 1-15, 1-22, 4-17, 5-25

slaking test, 5-25

slate, 1-5, 1-16, 1-18, 1-20, 2-6

slickensides, 2-7

slides, 1-8, 2-1, 2-24, 2-26, 6-16, 10-3, 10-8, 10-10

slope failure

- debris avalanche(s), 10-8, 10-10, 10-12, 10-14, 10-16, 10-17, 10-19
- earthflow(s), 10-8, 10-10, 10-12, 10-14, 10-16, 10-17, 10-19
- rockfall(s), 10-8, 10-10, 10-12, 10-14, 10-16, 10-17, 10-19
- rockslide(s), 10-8, 10-10, 10-12, 10-14, 10-16, 10-17, 10-19
- slump(s), 10-8, 10-10, 10-12, 10-14, 10-16, 10-17, 10-19

sloughing, 7-13

slump(s), 2-24, 2-25, 10-8, 10-11 through 10-14, 10-16, 10-20 through 10-22

slurry, 4-16, 8-17, 9-56, 9-70, 9-78

soil, 4-6, 4-7, 5-1, 5-5, 5-6, 5-18, 5-29, 5-31, 5-32, 5-33, 5-36, 8-4, 8-9, 9-14, 12-2

 aggregate, 9-2, 9-23, 12-1

 base, 9-4

 behavior, 4-14, 5-1, 5-2, 5-4, 5-6

 blending, 8-19, 9-2, 9-5, 9-8

 off-site, 9-60, 9-78, 11-1, 12-7

 on-site, 9-60, 9-77

 characteristics, 4-1, 4-5, 4-10, 4-14, 5-1, 5-14, 5-17, 7-12, 9-60, 9-61, 12-2, 12-4

 classification systems

 Airfield Classification System, 5-1

 Agricultural Soil Classification System, 5-1, 5-29

 Revised Public Roads Classification System, 5-1, 5-29

 Revised Public Roads System, 5-1, 5-29

 Unified Soil Classification System, 5-1, 5-29

 cohesionless. *See* cohesionless soil(s).

 cohesive. *See* cohesive soil(s).

 compaction, 8-1, 8-7

 advantages of, 8-1

 density, 8-4, 8-11

 engineering, 6-1

 field identification, 5-17, 5-19

 hasty identification, 5-25

 formation, 4-1, 4-3, 12-2

 gradation, 4-7, 9-22

 groups, 5-5, 5-6, 5-13, 5-14, 5-17, 7-4, 8-4, A-1

 impervious, 4-3, 5-14, 6-13, 6-15, 7-2, 7-3, 7-4, 7-6, 7-9, 9-59, 12-7

 particle shape, 4-5, 4-10, 4-11

 profile(s), 4-4, 4-5, 5-17, 5-31, 5-32, 10-20, 10-21

 properties, 4-6, 5-5, 5-14, 5-17, 5-18, 5-32, 8-1, 9-1, 9-28

 samples, 5-5, 6-4, 9-45, 9-48

 stabilization, 6-3, 9-1, 9-3, 9-4, 9-12, 9-28, 9-29, 9-30, 9-47, 9-48, 9-51, 9-60, 9-77

 test(s), 4-12, 4-14, 5-3, 8-17

 type(s), 4-5, 5-4, 5-6, 5-14, 5-17, 5-19, 5-32, 5-33, 5-35, 6-6, 8-20, 8-23, 9-55, 9-56, 9-60, 10-2, 11-3

 waterproofing, 9-9, 9-51

sources of water, 7-1, 7-14

spalling, 4-2. *See also* exfoliation.

specific gravity, 1-1, 1-3, 4-12, 4-13, 8-15

spurs, 6-15

stabilization, admixture, 9-1, 9-2, 9-10
 bituminous materials, 9-1, 9-2, 9-10, 9-22, 9-23, 9-35, 9-58, 9-60, 9-61, 9-80
 cement, 9-10 through 9-12, 9-14, 9-36, 9-49, 12-4
 fly ash, 9-1, 9-2, 9-10, 9-36
 lime, 9-10, 9-18, 9-19, 9-21, 9-36, 12-4
 lime-cement-fly ash (LCF), 9-10, 9-22, 9-36, 9-80
 lime-fly ash (LF), 9-10, 9-36, 9-80

stabilization, chemical, 9-2, 9-30, 9-46, 11-1

stabilization, sand, 9-76

stock, 1-6, 2-23, 11-8, 11-9

strata, 1-6, 1-13, 2-3, 2-4, 2-7, 2-17, 2-19, 2-22, 2-23, 5-19

stratified, 3-1

stratum, 6-2, 6-8, 6-9

streak, 1-1, 1-3

strength improvement, 9-48, 9-51

strike, 1-13, 2-7, 2-8, 2-9, 2-10, 2-11, 2-14, 2-26, 3-2

strike and dip, 1-13, 2-7, 2-9, 2-10, 2-11, 2-14
 symbols, 2-11, 2-14

strip, 1-23

struts, 6-17

subbase(s), 1-15, 5-6, 5-13, 5-14, 7-13, 7-14, 7-16, 7-17, 8-22, 9-22, 9-23, 9-26, 9-32, 9-35, 9-47,
 11-1, 12-3, A-4, A-6, A-9

sublots, 8-22

subsurface water, 7-1

surface water, 2-13, 4-17, 5-23, 7-1, 9-9, 10-12

surface waterproofing, 9-81

surficial deposits, 2-17, 2-23

suspended load, 3-30, 3-32

swell, 1-16, 4-16, 4-17, 6-4, 8-2, 8-9, 8-11, 9-12, 9-18, 10-7, 12-5, 12-6, A-1, A-4, A-6

symbols, 2-11, 2-13, 2-14, 2-17, 2-23

attitudes, 2-13

contacts, 2-13

cross sections, 2-13

fault lines and fold axes, 2-13

formations, 2-13

strike and dip, 2-11, 2-14

symmetrical, 2-4

syncline, 2-4, 2-6, 2-22. *See also* fold(s).

talus, 9-2, 12-1

talus rock, 9-2

tension cracks, 4-1, 10-18

terminal moraine, 3-28. *See also* end moraine.

test strip, 8-21, 8-23

textural classification, 5-1, 5-31

thawing, 1-22, 7-7, 7-8, 7-9, 7-10, 7-12, 7-13, 7-14, 12-7, 12-9

theater-of-operations, 8-9, 8-11, 8-23, 9-4, 9-15, 9-28, 9-36, 9-48, 11-1

thickness design, 9-12, 9-14, 9-19, 9-26, 9-29, 9-30, 9-35, 9-47, 9-48, 9-53, 9-54

thread test, 5-22

throw, 2-7. *See also* fault(s).

till plains, 3-7. *See also* ground moraine.

timber crib, 6-11, 6-13, 6-14

timber crib wall(s), 6-13, 6-14

timber walls, 6-14. *See also* earth-retaining structure(s); retaining wall(s); timber crib wall(s).

toeing, 2-26

total design, 9-42

traffic area(s), 9-9, 9-48, 9-55, 9-56, 9-57, 9-58, 9-59, 9-60, 9-61, 9-62, 9-63, 9-70

trafficability, 1-1, 2-13, 3-20, 6-4, 9-3, 11-9

trellis, 3-1, 3-2

trial-and-error, 9-11, 9-19

tuff, 1-6, 1-11, 1-14, 1-15, 1-20, 1-21, 9-2. *See also* ejecta.
tunnel, 2-26

typical soils, 5-4, 5-17, 7-4

undulations, 2-4

Unified Soil Classification System (USCS), 4-6, 5-1, 5-18, 5-33, 8-4. *See also* USCS.

uniformly graded, 4-10

unit weight, 4-13

uplift force, 10-7, 10-8

US Department of Agriculture, 5-31

USCS, 4-6, 4-10, 5-1, 5-5, 5-17, 5-29, 5-31, 6-4, 6-11, 7-4, 7-11, 8-12, 8-20, 9-2, 9-18, 9-32, 9-56, A-6. *See also* Unified Soil Classification System.

varved, 7-11, 7-12

vegetation, 2-3, 3-17, 3-30, 3-33, 3-35, 4-4, 5-32, 7-1, 9-55, 9-70, 9-76, 10-18, 10-21

ventifact, 3-30

vibratory roller, 8-20. *See also* compaction equipment.

visual examination test, 5-19

void ratio, 4-12, 4-13, 4-14, 6-1, 6-2, 7-4

volume change, 8-1, 8-2

volume ratio, 4-12

volume-weight, 4-12, 4-13

wales, 6-17

walls, 2-6, 2-24, 3-14, 4-2, 4-16, 6-8, 6-9, 6-11, 6-13, 6-14, 6-15, 11-9, 11-12

water movement, 1-14, 7-14

weathering
 chemical, 1-4, 3-34, 4-1 through 4-3
 physical, 4-1, 4-3

weep holes, 6-11, 6-12

weirs, 6-15

well-graded soil, 4-7, 4-10, 5-3, 6-2

wet shaking test, 5-23

wet soil(s), 6-5, 7-2, 8-6, 8-24, 9-4, 9-56

wind erosion, 3-28, 3-30, 9-57, 12-6. *See also* eolian process; erosion.