

## INDEX

- Aircraft
  - air mobility command, 2-20
  - Boeing B747, 2-27 through 2-29, 2-34
  - C-5, 2-23 and 2-24
  - C-17, 2-23, 2-26
  - C-130E/H, 2-21
  - C-141, 2-22
  - characteristics of standard Army, 2-36
  - civil reserve air fleet, 2-27
  - Douglas DC-8 and Boeing B707, 2-27, 2-32 and 2-33, 2-34
  - Douglas DC-10 and L-1011, 2-27 through 2-31, 2-34
  - KC-10A, 2-23, 2-25
- Air mobility command aircraft, 2-20
- Army air transport, 2-2 and 2-3
- Army aviation, 2-1
- Army motor transport vehicles
  - heavy fleet, 3-77
  - light fleet, 3-75
  - medium fleet, 3-76
  - trailers, 3-78 and 3-79
- Army watercraft (traditional), 5-42 through 5-45
- Average vehicle stopping distances, 3-73 and 3-74
- Berth specifications, 5-10
- Bridge capacity, 4-26
- Bridge signs
  - typical, 3-39
  - typical placement, 3-40
- Bridges
  - steel I-beam (capacity E-rating), 4-31 and 4-32
  - wooden (capacity E-rating), 4-31, 4-33
- Calculations
  - arrive and clear time, 1-10 and 1-11
  - distance, rate, and time, 1-10
  - line-haul, 3-14
  - local haul, 3-14
  - local haul backhaul, 3-14
- Cargo bag, 2-13
- Cargo density factors, C-1
- Cargo nets, 2-13
- Cargo security (rail), 4-10 and 4-11
- Center of balance
  - computing, 3-44
  - location on single-unit vehicles, 3-58 through 3-62
- Characteristics
  - boxcars, 4-22
  - flatcars, 4-22
  - German freight cars, 4-24 and 4-25
  - locomotives, 4-18 and 4-19
  - locomotives cranes, 4-20
  - Korean freight cars, 4-26
  - open-top cars, 4-21
  - railway maintenance motor cars, 4-21
  - refrigerator cars, 4-22
  - special-purpose cars, 4-23
  - tank cars, 4-23
- Civil reserve air fleet aircraft, 2-27
- Cold weather operations, C-9
- Computing the center of balance, 3-44
- Container operations, 5-15
- Conversion scale, C-29
- Conversion factors
  - metric and US units, C-30
  - petroleum products, C-33
- Conversion scale (petroleum products), C-34
- Convoy
  - briefing, 3-3 and 3-4
  - clearance, 3-5
  - commander's checklist, 3-4 and 3-5
  - commander's report, 3-5
  - movement, 3-42
- Cooper's E-rating, 4-26
- CRAF pallet profiles, 2-35 and 2-36
- DD Form 1265 (sample), 3-8 and 3-9

- DD Form 1266 (sample), 3-10 and 3-11
- Determining the center of gravity, 2-45
- Determining track curvature, 4-15 and 4-16
- Dimensions and loading capacity
  - cargo trailer bodies, 3-66
  - cargo truck bodies, 3-63 and 3-64
  - dump truck bodies, 3-65
  - stake and platform semitrailer cargo bodies, 3-67
  - van semitrailer cargo bodies, 3-67
- DOT Chart 10, E-1
- EDSS, 5-23
- Equivalent units of
  - length, C-28
  - speed, C-35
  - volume, C-29
  - weight, C-27
- External transport helicopters, 2-11
- Fast sealift ship, 5-39
- Flatracks, 5-21 through 5-23
- Fleet modernization
  - land craft, utility 2000, 5-46 and 5-47
  - large tug, 128-foot, 5-46, 5-48
  - logistics support vessel, 5-46 and 5-47
  - modular causeway systems, 5-48, 5-50
  - RORO discharge facility, 5-48 and 5-49
  - side loadable warping tug, 5-50
- Formats (orders, plans, and SOP), B-1 through B-33
- Formulas
  - daily lift operations, 3-13
  - turnaround time, 3-13
  - typical route classification, 3-42
  - unit lift operations, 3-13
- General planning factors (motor transport), 3-12
- Gross trailing load, 4-6
- Ground-air emergency symbols, 2-51
- HICHS, 2-18 and 2-19
- Highway regulation planning, 1-3
- Inland barge terminal (typical), 5-30
- Inland waterway planning, 5-26
- Inland waterway system, 5-28
- Inland waterway terminals (types), 5-29
- International markings and road signs, D-1
- Internal transport helicopters, 2-14
- LAPES, 2-50 and 2-51
- Lighters (used on an inland waterway), 5-27
- Load and discharge operations, 5-10
- Load placement in trucks and semitrailers, 3-27 and 3-28
- Load-unload times for basic cargo, 5-14
- Logistics over-the-short planning, 5-31
- LOTS operation (typical), 5-32
- Marine beach profile diagram, 5-35
- Marine terminal planning (definitions), 5-4 through 5-6
- Materials-handling equipment
  - electric-powered forklifts, 5-20
  - gasoline-powered forklifts, 5-19
  - rough-terrain forklifts, 5-19
  - truck-mounted cranes, 5-20
  - wheeled warehouse tractors, 5-20
  - yard tractor, 5-17
  - 20-ton rough terrain container crane, 5-18
  - 140-ton truck-mounted crane, 5-18
  - 4,000-pound rough terrain forklift truck, 5-17 and 5-18
  - 50,000-pound rough terrain container handler, 5-17
- Military load classification system, 3-38
- MILVAN characteristics, 5-25
- Modular causeway system (causeway ferry), 5-48
- Modular causeway system (floating causeway), 5-50
- Motor park facility, 3-25 and 3-26
- Motor transport movements SOP (sample format), 3-1 and 3-2
- Motor transport service SOP (sample format), 3-2
- Movement control
  - communications zone, 1-1
  - corps, 1-1
  - division, 1-1
- NATO military vehicle markings, D-1

- 
- 
- Pallets  
  general-purpose, 5-25  
  sled, 5-25  
  stevedore, 5-26
- Prepositioned ships, 5-38
- QUADCON, 5-23 and 5-24
- Railroad construction, 4-12
- Railway equipment characteristics, 4-17
- Resistance factors, 4-5 and 4-6
- Rest halts, 1-11 and 1-12
- Road movement tables, 3-29
- Road signs  
  Geneva convention, D-2 through D-6  
  NATO, D-7 and D-8
- RORO discharge facility  
  with ramp at side port, 5-49  
  with ramp at stern port, 5-49
- Route reconnaissance, 3-30 and 3-31
- Route reconnaissance symbols, 3-32 through 3-36
- Samples  
  convoy commander's report, 3-6 and 3-7  
  DD Form 1265, 3-8 and 3-9  
  DD Form 1266, 3-10 and 3-11  
  motor transport movements SOP, 3-1 and 3-2  
  motor transport service SOP, 3-2  
  format for rail movements SOP, 4-2 through 4-4  
  route reconnaissance overlay  
  strip map, 3-30  
  traffic circulation plan, 1-6, 3-37  
  vehicle commitment work sheet, 3-3
- Scheduling, 1-7 and 1-8
- Sea sheds, 5-21, 5-23
- Shipping dimensions and cube  
  cargo trailers, 3-71  
  cargo trucks, 3-68 and 3-69  
  dump trucks, 3-70  
  FMTV, 3-73  
  fuel tankers, 3-72  
  heavy equipment transport trailers, 3-72  
  PLS, 3-73  
  stake and platform semitrailers, 3-71  
  van semitrailers, 3-72
- Ships  
  auxiliary crane, 5-41  
  barge carriers, 5-40  
  break-bulk, 5-39  
  container, 5-39  
  fast sealift, 5-39  
  large medium speed RORO, 5-40  
  prepositioned, 5-38  
  RORO, 5-40  
  surge, 5-38  
  sustainment, 5-38
- Site  
  landing, 2-6, 2-9 and 2-10  
  preparation, 2-9  
  selection, 2-5
- Slope (ground), 2-7 and 2-8
- Strategic sealift requirements, 5-37
- Strip map (sample), 3-30
- Surge ships, 5-38
- Sustainment ships, 5-38
- Tables of organization and equipment, A-1 through A-16
- Tentage data, C-10 and C-11
- Terminal facility layout (typical), 5-11
- Terminal planning (elements of), 5-6 through 5-10
- Terminal throughput capacity checklist, 5-8
- Tie-down rings  
  CH-47, 2-17 and 2-18  
  UH-1, 2-16  
  UH-60, 2-17
- Time-distance factors, 1-8 and 1-9
- Track gauges of the world, 4-30 and 4-31
- Traffic circulation plan, 1-5 and 1-6, 3-36 and 3-37
- Transport operations, 3-25
- Transportation distribution network, 3-22
- Transportation network, 3-15
- Transportation network workload, 3-23
- Truck performance data, 3-16 through 3-21
- Types of airdrop, 2-49 and 2-50
- Underwater gradient (typical, profile view), 5-35
- 
-

Vehicle axle weights, 3-47 through 3-57

Vehicle classification markings, 3-28

Vehicle commitment work sheet (sample), 3-3

Vehicle loading, 3-27

Vessel loading and discharge times (Operation Desert Storm), 5-12 and 5-13

Water transport and terminal units, 5-1

Weight on drivers, 4-4 and 4-5

Weights and measures, C-26

Windchill factors, C-20

Worldwide time conversion chart, C-24

Zulu time, C-21 and C-22