

INDEX

References are to paragraph numbers except where specified otherwise.

- absent without leave, 4-2*d*(2), B-2*a*(9), B-2*c*(17), B-3*b*
- AC. *See* active component.
- active component, B-9*c*(1)
- adaptive behavior, Table 1-2
- adjustment disorder, 6-3*t*(2)
- agitation, 4-6*c*(3)
- Alcohol and Drug Abuse Prevention and Control Program, 2-2*b*(1), 2-3*b*(1), 4-2*g*, B-3*b*
- alcohol misuse cases, 3-10*b*(2)
- alcohol support group, 4-2*g*
- ambulance exchange point, 3-3*b*(5)(*a*), 3-3*c*(3), 4-3*b*(1)
- amnesia, 4-6*c*(1)
- antianxiety drugs, 8-2*d*(5)(*e*)
- AO. *See* area of operations.
- area of operations, 2-2, 2-2*b*, 2-3, 3-6*a*
- area support medical battalion, 1-5*b*, 2-1, 2-3, 2-5*c* and *e*, 2-6*a*, 2-9*b*, 3-6*a*, 3-8*b*(4), 3-9
- area support medical company, 2-3*b*(4), 3-7, 4-5*a*(1)
- command post, 2-6*d*, 3-6*a*, 3-6*b*(1), 4-3*a*(2)
- headquarters and support company, 2-3, 3-6*b*
- mental health section, 2-1, 2-2*b*, 3-6*a*
- behavioral science specialist, 3-6*b*
- NCOIC, 3-6*b*
- psychiatrist, 3-6*b*(1)
- social work officer, 3-6*a*(2), 3-6*b*(1)
- armored cavalry regiments, 3-8*c*
- arms control, 1-4*d*
- Army combat stress control, 1-5*a*. (*See also* combat, stress control.)
- Army Emergency Relief, 4-2*a*(4)
- Army Operations, 1-4*a*, 1-4*c*, B-6*c*
- ASMC. *See* area support medical battalion, area support medical company.
- atropine, 6-3*q*
- attacks and raids, 1-4*d*
- AWOL. *See* absent without leave.
- AXP. *See* ambulance exchange point.
- BAS. *See* battalion aid station.
- base cluster, 4-5*a*(1)
- battalion aid station, 3-3*c*(3) and (4), 4-3*b*(1), 4-5*f*(2), 5-5*c*(2)
- battle fatigue, Table 1-2, 1-2*b*, 1-3*a*, 1-3*d*—*e*, 1-5*b*, 1-6, 1-8, 2-2—3, 2-5*b* and *d*, 2-6—12, 3-2*a*—*b*, 3-7, 4-1*c*, 4-6*b*(1), 6-3*t*(2)
- assessment of, B-2*b*
- cases, B-1*b*(1)
- casualty(ies), 1-6*b*, 3-2*b*, 3-3*e*(5), 3-4*b*(2), 3-6*b*(2), 3-8*b*(1)(*b*), 3-10*a*, 3-11, 3-11*b*, 4-1*b*(1), 4-3*a*—*b*, 4-5*d*, 4-6*b*(4), 6-3*t*, 8-1, 8-2, 8-3*c*—*d*, 8-4, 8-6
- categories, 3-3*d*, 4-5, 6-1*a*(1)
- Duty cases, 1-9*a*(3), 3-6*b*(2), 4-5*b*(2), 4-5*e*(2), 6-1*b*, 8-1*b*, 8-1*c*, 9-5*c*, B-2*a*(3), B-7*a*(1)
- Hold cases, 1-9*a*(3), 3-3*d*(3), 4-5*e*, 6-1*b*, 8-1*b*, B-2*a*(3), B-7*a*(2)
- Refer cases, 1-9*a*(3), 3-3*d*(4), 3-4*a*(4), 4-5*e*, 6-1*b*, 8-1*b*, 8-4*c*, 8-6*e*, B-2*a*(3), B-7*a*(2)
- Rest cases, 1-9*a*(3), 2-7, 3-3*d*(2), 3-6*b*(2), 4-5*b*(2), 4-5*e*—*g*, 6-1*b*, 8-1*b*, 8-1*c*, 8-6*d*, 9-4*a*(3), B-2*a*(3), B-7*a*(1)
- evacuation, 1-8*g*
- handling, 4-5*d*(4)
- hospitalization, 1-8*j*
- recognition of, B-2*a*
- treatment, 1-8, 4-1*c*
- examples of, Table 1-2
- hasty withdrawal, B-2*a*(8)
- positive coping, B-2*a*(6)
- prevention, 4-1*c*
- protective (positive) factors that reduce battle fatigue, B-2. (*See also* stress, positive factors.)
- risk (negative) factors. *See* stress, negative factors.
- tough realistic training, B-2*a*
- transport, 3-7*a*
- unit cohesion, B-2*a*
- unmanageable, 4-5*d*(5)
- warning signs, 1-3*d*
- behavioral science
- NCO, 2-2*b*, 3-1, 3-3*b*, 3-6*b*(2), C-3*c*
- specialist, 2-2*b*, 2-3*b*, 3-8*b*(1), C-3*c*
- BF. *See* battle fatigue.

- brigade, 1-4c
 - combat stress control
 - coordinator, 3-1, 3-2b
 - team, 2-2, 3-1, 3-3b—d, 3-3e(6)
 - support area, 3-3b, 3-3d, 3-8b(1), 3-8d(1), 4-3b(1) 4-5a(1), 4-5b(1)
 - surgeon, 3-3b
- BSA. *See* brigade, support area.
- C2. *See* command and control.
- casualty feeder report, 3-11a
- catastrophic events, 4-1b(3)
- ceremonies, 4-7a(3)
- chain of
 - command, D-1d
 - support, 1-1b
- CHAMPUS. *See* Civilian Health and Medical Programs of the Uniformed Services.
- chaplain, 1-5b, 1-6e, 2-6, 2-6b, 3-3b(1), 3-8b(2), 4-1c(1), 4-1d—e, 4-2d, 4-5f(2), 4-7b
- chronic diarrhea, 6-3a
- CHS. *See* combat health support.
- Civilian Health and Medical Programs of the Uniformed Services, 4-2a
- civil-military operations, 3-9a
- clearing station, 1-3d, 2-2b(5), 3-1, 3-3b(3) and (5), 3-3d(4), 3-3e, 3-4a(3), 3-6b, 3-7, 3-7b, 4-5e. (*See also* division clearing station.)
- cohesive unit, 1-6b
- combat
 - exhaustion, 1-6b—d
 - health support, 2-2a, 3-2a, 3-11b, 4-1b, 5-1c(3)
 - estimate(s), 4-3a(1), B-1
 - plan, 3-6a, 4-3a(1)
 - intensity, 3-2a, B-2b(1)
 - lifesaver, 3-3b(1)
 - medic, 4-1d(3)
 - neuropsychiatric triage, 1-9a(3), 3-1, 3-3d, 3-10b(1), 4-5d(5), 4-5g, 6-1, 8-1c
 - battle fatigue categories. *See* battle fatigue, casualty, categories.
 - considerations, 6-2
 - distinguishing battle fatigue categories by signs and symptoms, 6-1c
 - screening, 6-2a(2)
- combat
 - neuropsychiatric triage (*continued*)
 - physical screening, 6-2a(1)
 - considerations, 6-2a(3)
 - psychiatry principles, 1-7
 - service support, 1-4c, 1-6e, 4-5g(2)
 - stress control
 - consultation, 2-7, 3-1, 3-2b, 3-3b(2) and (5), 3-4a, Chapter 4, 8-1c
 - during combat, 4-5
 - priority, 4-5b(2)
 - target audiences, 4-1e
 - to medical personnel, 4-6d
 - to medical units, 4-5, 4-6d
 - to supported units, 4-1c and e, 4-2a and e, 4-4b, 4-5d
 - coordinator, 3-1, 3-3b—f, 3-6, 3-7b
 - elements
 - attachment of, 4-5a(2)
 - corps, B-6f
 - division, B-6e
 - estimates, B-1
 - for battle fatigue casualty work load, B-2
 - for misconduct combat stress behaviors, B-3
 - substance abuse, B-3
 - functional mission areas, 1-9
 - consultation, 1-9a(1). (*See also* combat, stress control, consultation.)
 - neuropsychiatric triage. *See* combat neuropsychiatric triage.
 - reconstitution support, 1-9a(2)
 - restoration, 1-9a(5)
 - stabilization, 1-9a(4)
 - functions, 2-5a
 - home station support, 4-4c
 - personnel, 4-1c(1)
 - plan, B-4
 - briefing the plan, B-10
 - planning consideration, B-6
 - in peacetime, B-9a
 - for operations other than war, B-7
 - point of contact, 4-4b
 - prevention, 1-4c—e, 4-3a
 - program, 1-5b
 - reconditioning, *See* reconditioning.

- combat
 - stress control (*continued*)
 - responsibility, 1-1b
 - restoration, *See* restoration.
 - support, 1-4c
 - team(s), 1-3d, 1-6e, 2-2, Figure 2-3, Figure 2-4, 2-5, 2-7—8, 2-10, 3-1, 3-2b, 3-3b, 3-4, 3-6a(4), 3-8, 3-10b, 4-5a, 9-4a(1), B-6d(2), B-6g
 - training, 4-1c(2)
 - service support, 1-6e, 4-5g(2)
 - support, 1-4c, 1-6e
 - hospital, 3-3e(3), 3-7b, 3-8b(4), 3-10b, 3-11b
 - uniform, 8-2d(4)(d)
 - zone (CZ), 2-5, 4-1e, 6-3t(2)
- combatting terrorism, 1-4d
- command and control, 2-6, 2-9, 3-8, 3-11b,
- command post (CP) exercise, 4-3a(2)
- command surgeon, 4-3a(1), 4-4a, 4-5a(2), 4-5b
- common table of allowances, Appendix A
- communications, 3-11b
- communications zone, 1-5b, 1-7c, 1-8k, 3-6a(4), 4-1e, 4-5a(1)
- conflict, 1-4d, 3-2, 3-3a, 3-8a, 3-8c—d, 3-10b(2)
- continental United States, p. vi, 1-6c, 1-7c, 1-8k, 4-7b, 6-3t(2)
- corps, 1-5b, 1-6e, 2-1—3, 2-5, 2-6a, 2-6c, 2-8—9, 3-1, 3-8b
 - area, 2-5, 2-7—8, 3-9
 - slice, 2-5
- counseling, 8-2i
- CP. *See* area support medical battalion, command post.
- criminal acts, Table 1-2
- CSH. *See* combat support hospital.
- CSS. *See* combat service support.
- debriefing, 8-2i
 - after-action, 1-3f, 3-4a(6), 3-6b(2), 4-2e(4), 4-3b(2), 4-5h
 - critical events, 1-5b, 3-3b(4), 4-5h, 4-5h(3), 5-1d, 5-4e
 - large group, 4-1c(2), 4-5h, 5-4e, 8-2i(1)
- dehydration, 6-3b
- delirium tremens, 6-3p(2)
- Delta Dental Plan, 4-2a(4)
- Department of Veterans Affairs, 9-6a
- depression, 4-6c(3)
- deputy for personnel and civilian affairs, 4-2d
- differential diagnostic problems, 6-3
 - air emboli, 6-3k
 - anticholinergic delirium, 6-3g
 - anticholinesterases, 6-3r
 - convulsive seizure disorders, 6-3o(3)
 - Guillain-Barre syndrome, 6-3o(1)
 - multiple sclerosis, 6-3o(2)
 - endemic personality disorders, 6-3t
 - focal brain ischemia, 6-3k
 - head trauma, 6-3g
 - epidural hematoma, 6-3g(1)
 - intracranial pressure, 6-3g(3)
 - subdural hematoma, 6-3g(2)
 - hypothermia, 6-3d
 - laser eye injuries, 6-3l
 - middle ear injuries/diseases, 6-3m
 - neurologic disorders, 6-3o
 - overuse syndromes, 6-3e
 - peripheral neuropathies, 6-3n
 - postconcussion, 6-3i
 - rhabdomyolysis, 6-3f
 - spinal cord trauma, 6-3h
 - substance misuse/abuse, 6-3p
 - heavy habitual use of alcohol, 6-3p(1)
 - hallucinogenic drugs, 6-3p(4)
 - inhalation of fumes, 6-3p(5)
 - intoxication or withdrawal, 6-3p(2)
 - overuse of stimulants, 6-3p(3)
- disciplinary action, 6-3t(2)
- DISCOM. *See* division support command.
- disease nonbattle injury, 1-2b, 3-6b(2), B-6j(2)
- disorientation, 4-6c(1)
- disruptive confusion, 4-6c(1)
- division, 3-1, 3-10a
 - clearing station, 1-6b, 3-1, 3-3b(3) and (5)
 - combat health support plan, 3-3a
 - fatigue center, 9-3h
 - G1, 3-3e(5)
 - medical operations center, 2-2a, 3-2a, 3-3a, 3-4a, 3-5, 4-1e
 - mental health section, 1-6d—e, 2-2b, Chapter 3, B-1b(1)
 - deployment, 3-1

- division
 - mental health section (*continued*)
 - employment, 3-3
 - senior behavioral science NCO, 2-2
 - senior behavioral science specialist, Figure 2-1—2, 2-2b(4)
 - psychiatrist, 1-6b—c, 2-2, 3-1—5, 3-8b
 - support area, 3-1, 3-2b, 3-3e—f, 3-5, 3-8b(2) and (4)
 - support command, 2-2, 3-2
 - surgeon, 3-2, 3-3c, 3-8b
- DMOC. *See* division medical operations center.
- DNBI. *See* disease nonbattle injury.
- drug misuse cases, 3-10b(2)
- DSM III-Rs, 6-3t(1)
- emergency treatment
 - NCO, C-3d
 - specialist, C-3d
- empathic management, 4-6c(3)
- enemy prisoner of war, 2-9, 4-2a(2), B-3b
- EPW. *See* enemy prisoner of war.
- esprit de corps, 1-3b
- euphoria, 4-6c(3)
- Exceptional Family Member Program, 4-2a(4)
- exhaustion center, 1-6b
- Family Advocacy Program, 4-2a(4)
- family issues, 4-2a(4)
- Field Medical Card (DD Form 1380), 2-8l, 6-2a(1)
- formal debriefing, 4-7b
- forward support battalion, 4-5e(2)
- forward support medical company, 2-2b(5), 3-1, 3-4a(1), 3-8b(1), 3-11b, 4-5a(1)
- four Rs, 7-4a(2)
- FSB. *See* forward support battalion.
- FSMC. *See* forward support medical company.
- G-5, 4-1e
- gas mania, 1-6a
- general hospital, 3-7b
- Geneva Convention, 4-2a(4), 4-5e(3), Appendix D
 - battle fatigue casualties, D-2b
 - criteria for patients, D-2b
 - protected status, D-1d(1), D-2c
 - care of civilian wounded or sick, D-8g
 - defense of medical units, D-8d
 - conditions not depriving medical units protection, D-8a
- Geneva Convention
 - defense of medical units (*continued*)
 - harmful acts, D-7a
 - loss of protection of medical establishments and units, D-7
 - enemy prisoners of war, D-2f
 - wounded and sick, D-4b
 - identification, D-5a(1), D-5c
 - card for medical personnel, D-5c
 - distinctive emblem, D-5a(1)
 - arm bands, D-5a(1), D-5c
 - prisoners of war, D-2f
 - Glasgow Coma Scale, Table 6-1
 - grief management, 4-2a(4)
 - Hague and Geneva Conventions, D-3a. (*See also* Geneva Convention.)
 - hasty withdrawal, B-2a(8), B-3b(8)
 - home front problems, 4-6c(5)
 - host nation, 3-9a
 - hostility, 4-6c(3)
 - humanitarian assistance and disaster relief, 1-4d
 - hyperthermia, 6-3c
 - IG. *See* Inspector General.
 - Individual Ready Reserve, 4-1e
 - Inspection General, 4-2d(1)
 - job reclassification, 6-3t(2)
 - joint operations, 1-4b
 - KO team, 1-6c—d
 - Korea, 1-6c
 - Law of War, D-3
 - LBE. *See* load bearing equipment.
 - leaders, 4-1d(3)
 - leadership, 4-1a
 - load bearing equipment, 8-2d(4)(d)
 - logistic package, 3-3c(4)
 - main support battalion, 2-1, 2-2a, 3-2
 - support operation, 3-3a
 - main support medical company, 2-2, 3-1, 3-8b, 4-5a(1)
 - commander, 3-3a
 - main supply routes, 4-5b(1)
 - malingering, 6-3t(2)
 - management guideline for—
 - agitated depression, 6-3s(1)
 - manic episode, 6-3s(4)

- management guideline for— (*continued*)
 paranoid delusions, 6-3s(3)
 predominantly auditory hallucinations, 6-3s(2)
 schizophrenic-type thought disorder, 6-3s(2)
 serious suicidal intent, 6-3s(1)
 severe retarded depression, 6-3s(1)
 sleep loss, 6-3s(1)
 survival guilt, 6-3s(1)
- manic hyperactivity, 6-3p(3)
- mass casualty
 plan, 3-9a
 situations, 3-4a(5)
- MEDCEN. *See* medical center.
- MEDDAC. *See* medical department activity.
- media coverage, 1-4a(2)
- medical brigade, 3-3a, 3-6a(4), 3-9, 3-10a, 3-11, 4-5a(1)
- medical center, 9-6a
- medical company, combat stress control, 1-5b, Figure 2-3, 2-5, 3-3e(4), 3-8a, 3-10a, 3-11
 assignment, 2-5c
 attachment, 2-5e
 basis of allocation, 2-5b
 coordination and interface requirements, 3-11
 employment in the theater, 2-5e
 headquarters section, 2-6
 armorer, 2-6j
 chaplain, 2-6b
 commander, 2-6a
 commander's driver (behavioral science NCO), 2-6h
 common table of allowances, Appendix A
 cooks, 2-6n
 first sergeant, 2-6d
 light-wheeled vehicle mechanics, 2-6l
 medical operations officer, 2-6c
 motor sergeant, 2-6k
 nuclear, biological, and chemical NCO, 2-6f
 power generation equipment repairman, 2-6m
 prescribed load list clerk, 2-6i
 supply sergeant 2-6e
 table of organization and equipment, Appendix A
 unit clerk, 2-6g
- mission, 2-5
- medical company, combat stress control (*continued*)
 organization, 2-5e
 preventive section, 2-7
 behavioral science
 NCO, 2-7d
 specialist, 2-7e
 common table of allowances, Appendix A
 psychiatrist, 2-7a
 senior behavioral science specialist, 2-7c
 social works officer, 2-7b
 table of organization and equipment, 2-7a
- restoration section, 2-8
 behavioral science
 NCO, 2-8h
 specialist, 2-8i
 clinical psychologist, 2-8c
 common table of allowances, Appendix A
 occupational therapy
 NCO, 2-8j
 officer, 2-8a
 specialist, 2-8k
- patient administration
 NCO, 2-8l
 specialist, 2-8m
- psychiatric
 mental health nurse, 2-8b
 NCO, 2-8f
 specialist, 2-8g
- restoration team, 2-8
- senior
 behavioral science NCO, 2-8d
 psychiatric wardmaster, 2-8e
 table of organization and equipment, Appendix A
- threat, 3-11b
- medical department activity, 4-2d, 9-6a
- medical detachment, combat stress control, 1-5b, Figure 2-4, 2-5, 3-3a, 3-3b(6), 3-8a, 3-9
 assignment, 2-9b
 base of allocation, 2-5b
 command and control, 2-10a
 headquarters, 2-10
 commander, 2-10a
 common table of allowances, Appendix A
 table of organization and equipment, Appendix A

- medical detachment, combat stress control (*continued*)
 - NCOIC, 2-10*b*
 - mission, 2-9*a*
 - preventive section, 2-11
 - behavioral science
 - NCO, 2-11*d*
 - specialist, 2-11*e*
 - common table of allowances, Appendix A
 - psychiatrist, 2-11*a*
 - section sergeant, 2-11*c*
 - social works officer, 2-11*b*
 - table of organization and equipment, Appendix A
 - medical group, 3-6*a*(4), 3-9, 3-11, 4-5*a*(1)
 - medical intelligence, 3-9*a*
 - medical treatment facility, 1-2*b*, 1-3*d*, 3-3*e*(4), 4-5*d*(5), 4-5*e*, 4-5*g*(3), 4-6*a—d*
 - memorial ceremonies, 4-7*a*(3)
 - mental fitness, 3-3, 3-3*f*(1), 3-6*b*(3)
 - mental health
 - consultants, 4-1*d*(1)
 - CSC estimate, 3-2
 - CSC support, 3-3*b*
 - disciplines of, 4-1*d*(1)
 - clinical psychology, 4-1*d*(1)—(2)
 - occupational therapy, 4-1*d*(1)—(2)
 - psychiatric nursing, 4-1*d*(1)—(2)
 - psychiatry, 4-1*d*(1)—(2)
 - social work, 4-1*d*(1)—(2)
 - officer, 2-2, 3-2*b*
 - personnel, 1-5*b*
 - plan, 3-2*b*
 - sections, 2-1
 - ASMB. *See* area support medical battalion.
 - division. *See* division, mental health section.
 - military police confinement facility teams, Appendix C
 - mental health team
 - LA, C-2, Table C-1
 - LB, C-2, Table C-1
 - LC, C-2, Table C-1
 - LD, C-2, Table C-1
 - misconduct
 - stress behavior, Table 1-2, 1-2*b*, 1-3*a*, 1-6*d*, 3-2*b*, 3-3*d—e*, 3-8*d*(1), 4-1*c*, 4-3*b*(1), 7-1*a*(1), B-3
 - missing in action, B-2*a*(8)
 - mobilization, 4-4*a*
 - moral dilemma, 4-6*d*(1)
 - MSB. *See* main support battalion.
 - MSMC. *See* main support medical company.
 - nation assistance, 1-4*d*
 - National Command Authority, 1-4*d*
 - NBC. *See* nuclear, biological, and chemical.
 - neurological hospitals, 1-6*a*
 - neuropsychiatric
 - cases, 3-3*b*(3), 3-3*d—e*, 3-7
 - casualties, 3-3*b*(2)
 - diagnosis, 1-4*e*
 - disorders, 1-4*e*, 1-6*a*, 4-6*c*, 8-4*e*
 - prevention and screening program, 1-4*e*
 - triage. *See* combat, neuropsychiatric triage.
 - noncombatant evacuation operations, 1-4*d*
 - noncommissioned officer, 1-1*b*
 - nonjudicial punishment, 1-3*c*
 - nonreturn to duty, 3-9*a*
 - not yet diagnosed, nervous, 1-6*a*
 - nuclear, biological and chemical, 1-4*a*(1), 3-5, 3-9*b*
 - agent, 7-1*a*(2)
 - occupational therapy, 2-8, 3-8*b*(2)
 - ODS. *See* Operation Desert Shield/Storm.
 - OM Team, 1-6*d*, 2-5
 - OPCON. *See* operational control.
 - Operation Desert Shield, 1-6*e*
 - Operation Desert Storm, 1-6*e*
 - operational control, 3-8*b*(5), 3-9*b*, 3-11*b*
 - operation(s)
 - orders 2-2*a*, 3-9*a*, 3-11*a*
 - other than war, 1-4*a*(2), 1-4*d*, 4-1*b*(2)
 - plans, 2-2*a*, 3-9*a*, 3-11*a*
 - OPLANs. *See* operations plans.
 - OPORDs. *See* operations orders.
 - organic mental disorders, 4-6*c*(1)
 - overevacuation, 3-3*b*(5)(*b*)
 - overstressed soldiers, 4-2*a*(4)
 - panic attack, 6-3*p*(3)
 - paranoid psychosis, 6-3*p*(3)
 - patient-holding, 3-9*b*
 - squad, 3-3*d*, 3-3*e*(2), 3-6*b*(2)
 - PCP. *See* Phencyclidine hydrochloride.
 - peace enforcement, 1-4*d*

- peacekeeping operations, 1-4*d*
- personnel reliability screening, 4-2*f*
- Phencyclidine hydrochloride, 6-3*p*(4)
- physical conditions, 6-2*b*
- physician assistants, 3-3*d*
- physostigmine 6-3*q*(2)
- PIES. *See* principles for treating battle fatigue, proximity, immediacy, expectancy, simplicity.
- POCs. *See* point(s) of contact.
- point(s) of contact, 4-4*b*, 4-5*d*(3)
- positive combat stress behaviors, Table 1-2
- positive coping, B-2*a*(6)
- post-traumatic stress disorder, Table 1-2, 1-2*b*, 1-5*b*, 4-1*c*
 - common signs/warning signs, 1-3*f*
 - symptoms, 1-3*f*
- preexisting personality disorders, 6-3*t*
- principles for treating battle fatigue, 1-7*b*(1)—(4), 7-4*a*
 - proximity, immediacy, expectancy, simplicity, 1-7*b*, 7-4*a*(1)
- professional officer filler system, 4-1*e*
- PROFIS. *See* professional officer filler system.
- protective mask, 8-2*d*(4)(*d*)
- protective (positive) factors against substance abuse and misconduct stress behaviors, B-3*a*. (*See also* stress, positive factors.)
- psychiatric disorders
 - symptoms, 6-3*s*
 - nurse, 3-8*b*(2), 3-10*b*(4), 4-1*d*(1)
 - reaction (potential), 4-6*c*(3)
- psychiatrist, 1-6*a*, Figure 2-1, 2-2*b*(1), Figure 2-2, 2-3*b*(1), 3-7, 3-10*b*(4), 4-5*e*, 6-3*t*(1)
- psychologist, 6-3*t*(1)
 - clinical, Figure 2-1, 2-2*b*(2), C-3*b*
- PTSD. *See* post-traumatic stress disorder.
- pyridostigmine, 6-3*r*
- questionnaires, 2-2*b*(6), 4-2*c*(3)—(4)
- racial and ethnic tension, B-3*b*(11)
- rage attack, 6-3*p*(3)
- readiness, 4-1*a*
 - detractors, 4-1*c*(1)
- reconditioning, 1-8*k*, 1-9*a*(6), 3-10*b*, 4-3*a*, 8-6*e*, Chapter 9
 - reconditioning (*continued*)
 - evacuation of cases, 9-4*c*
 - facility, 3-10*c*
 - first-line cases
 - disposition, 9-4
 - evacuation policy, 9-4*b*
 - first-line reconditioning center, 9-3
 - area for establishment, 9-3*b*
 - medical records, 9-3*d*
 - program for treating battle fatigue casualties, 4-1*e*
 - combat fitness reconditioning center, 3-10*b*(2), 3-11*e*, 9-3*a*
 - located with hospital, 9-3*c*
 - located in the corps, 9-3*a*
 - temporary reassignments, 9-2*n*
 - work assignments, 9-2*m*
 - work projects, 9-2*l*
 - referral for administrative action, 8-6*g*
 - referral to hospitals, 8-6*f*
 - second-line reconditioning in the COMMZ, 9-5
 - Option 1, Field Hospital, 9-5*a*
 - Option 2, CSC units, 9-5*b*
 - small reconditioning center, 9-3*f*
 - third-line, 9-1*b*(3), 9-6*a*
 - treatment, 4-5*g*(3)
 - treatment program, 9-1
 - group sharing, 9-2*g*
 - group training
 - common soldier task, 9-2*j*
 - drug and alcohol counseling, 9-2*k*
 - life skills, 9-2*i*
 - relaxation techniques, 9-2*h*
 - survival skill drills, 9-2*j*
 - individual counseling and therapy, 9-2*f*
 - methods, 9-2
 - military unit structure, 9-2*b*
 - overview, 9-1*a*
 - physical activities, 9-2*e*
 - physical replenishment, 9-2*c*
 - priority for, 9-1*b*
 - unit formation, 9-2*d*
 - validation, 9-2*g*
 - reconstitution
 - combat stress control, Chapter 5

- reconstitution
 - combat stress control (*continued*)
 - involvement, 5-1*d*
 - Phase I: Preparation and Deployment, 5-2
 - coordination, 5-2*a*
 - familiarity with the supported unit, 5-2*b*
 - unfamiliarity with the supported unit, 5-2*c*
 - Phase II: Reduction of Human Physical/Physiologic and Cognitive Stressors, 5-3
 - continuing physiologic replenishment, 5-3*c*
 - monitoring, 5-3*a*
 - physical/physiologic replenishment, 5-3*b*
 - Phase III: After-Action Debriefings, 5-4, 5-5*b—c*
 - critical events debriefing, 5-1*d*(1), 5-4*e*(2)—(4), 5-4*f*
 - facilitator for after-action debriefing, 5-4*e*
 - large group debriefing, 5-4*c*
 - Phase IV: Rebuilding Unit Cohesion, 5-5
 - assisting units to rebuild cohesion, 5-5*a*
 - individual assistance with battle fatigue, 5-5*c*
 - integrate new replacements, 5-5*b*
 - Phase V: Performing Final Combat Stress Control Requirements, 5-6
 - building unit confidence, 5-6*c*
 - closing out reconstitution support, 5-6*d*
 - unit cohesion, 5-6*b*
 - requirements, 5-1*d*(2), Table 5-1
 - process, 5-1*a*
 - regeneration
 - characteristic of, 5-1*c*
 - key combat stress control issues, 5-1*c*(1)
 - reorganization, 5-1*a*
 - deliberate, 3-8*b*(1), 5-1*a*(1)(*b*)
 - hasty, 3-8*b*(1)
 - immediate, 5-1*a*(1)(*a*)
 - site, 5-1*c*(2)
 - support, 3-8*b*(1), 3-10*b*(1), 5-1, 8-1*c*
 - reduction in force, 4-7*e*
 - Reserve Component, 4-7*e*, B-9*c*(2)
 - rest center, 1-6*b*
 - restoration, 3-2*a*, 3-8*b*(1)(*b*), 8-1*a*
 - categories of, 8-1*d*
 - first-line, 8-1*a*, 8-3
 - armored cavalry regiment, 8-3*b*
 - Communications Zone, 8-3*c*
 - corps, 8-3*c*
 - separate brigade, 8-3*b*
 - second-line, 8-1*a*, 8-4
 - fatigue center, 8-4*b*
 - location, 8-4*a*
 - third-line, 8-1*a*, 8-5
 - considerations for hospitals, 8-5*b*
 - duties and work details, 8-2*g*
 - Duty cases, 8-1*b*
 - facility, 3-3*e*(4)
 - Hold cases, 8-1*b*
 - medical company support, 8-3*d*
 - military identity, 8-2*e*
 - priority, 8-1*c*
 - program, 2-7, 4-1*e*
 - reassurance, 8-2*b*
 - recovery time, 8-6*d*
 - Refer cases, 8-1*b*
 - referral, 8-6
 - relaxing activities, 8-2*h*
 - replenishment
 - A-Rations, 8-2*d*(3)(*a*)
 - of physiologic status, 8-2*d*
 - intravenous fluids, 8-2*d*(2)
 - restore hygiene, 8-2*d*(4)
 - structured activities, 8-2*f*
 - Rest cases, 8-1*b*
 - restoring confidence, 6-2*a*(5)
 - restraints, 3-7*a*
 - return to duty, 8-6
 - screening and treatment, 8-1*b*
 - site, 8-2*a*(5)
 - structured military environment, 8-2*c*
 - tactics, techniques, and procedures, 8-2
 - team, 2-10, 3-8*b*(1)—(2), (5), 3-8*d*(2), 3-10*b*, 9-3*b*
 - techniques, 8-4*d*
 - treatment, 3-3*d*(2), 4-5*g*(3)
 - return to duty, 1-2*b*, 1-4*e*, 1-5*b*, 1-8*b*, 2-2*b*(5), 3-3*b*(5)(*e*), 3-9*a*, 4-1*b—c*, 4-3*a*, 4-5*b*(2)
 - risk factors (stressors), 4-1*a*

- risk (negative) factors which increase substance abuse and misconduct stress, B-3b
- RTD. *See* return to duty.
- rules of engagement, 4-7b(1)
- S1/G1, 4-1e, 5-1c(3), B-1a
- S2/G2, 4-1e, B-1a
- S3/G3, 2-2a, 4-1e, B-1a
- S4/G4, 4-1e, 5-1c(3), B-1a
- security assistance, 1-4d
- sedatives and tranquilizers, 1-8f
- separate brigade, 2-4, 3-8c(2)
- sergeant's business, B-2a(5)
- shell shock, 1-6a, D-2f(1)(a)
- show of force, 1-4d
- signal operating instructions, 3-9b
- sleep, restorative, 8-2d(5)
- sleeping medication, 8-2d(5)(d)
- small group therapy, 4-6d(5)
- social withdrawal, 4-7b(2)
- social work officer, Figure 2-1, 2-2b(3), Figure 2-2, 2-3b(2), C-3a
- stabilization, 3-10b(1), Chapter 7
 - administering medications, 7-3a
 - effects of antipsychotic drugs, 7-3d
 - evacuation and treatment modalities, 7-4b
 - facility, 7-5a
 - full, 7-1b, 7-4
 - initial
 - emergency, 7-1a
 - use of medications, 7-3a
 - physical restraints, 7-2a
 - medications, observing for reactions, 7-3b
 - methods of restraining, 7-2c
 - mixed neuropsychiatric and medical/surgical ward, 7-5c
 - neuropsychiatric ward, 7-5b
 - staff, 7-5d
 - neuropsychiatric/battle fatigue casualties, 9-3e
 - rapid sedation, 7-3c
 - subduing and restraining, 7-2b
- staff chaplains, 4-1e
- stress, 1-1a, 8-2b(4)
 - and stressors, 1-5b
 - assessment, 5-1c(1)
 - casualties, 1-2b, 4-1b
 - casualty estimates, 4-3a
- stress (*continued*)
 - combat stress behaviors, 1-3a, Table 1-2
 - combat stress reaction, 1-3d
 - control of stress, 1-1b
 - control principles and techniques, 3-6b(2)
 - controlling stressors, 4-3a
 - dysfunctional stress behavior, Table 1-2
 - examples of misconduct stress behaviors, 1-3c, Table 1-2
 - examples of positive combat stress behaviors, 1-3b, Table 1-2
 - excessive stress, warning signs, 4-2d(2)
 - fight or flight response, 1-3b
 - harmful combat stress behaviors, B-3b in the unit, 4-2d
 - indices of excessive stress in units, 4-2d(2)
 - induced disability, 1-4e
 - intervention techniques, 3-6b(2)
 - mental stressors, 1-2c, Table 1-1
 - misconduct stress behavior, 1-3c, 1-4d
 - negative stress factors, B-1c(2)—(5), (7), B-2c, B-3b
 - on the enemy, 1-2a
 - on the home front, 4-2d
 - physical stressors, 1-2c, Table 1-1
 - positive combat stress behavior, 1-2d
 - positive stress, 1-2d
 - factors, B-1c(5), B-2a(1), B-2b(1), (3)—(4), B-3a(1)
 - prevention, 4-1b
 - recognition and control, 4-1d(3)
 - related casualties, 3-1, 3-3d, 4-1a
 - related illness, 6-3a
 - threat, 1-2
 - tolerance, 1-4b
 - uncontrolled combat stress, 1-1a
- stressors, 4-2d(1), 4-6d(1)
 - combat, 1-2a
 - home-front, 3-2a
 - reducing, 4-6d(2)
- substance abuse, 1-4e, 1-6d, B-3
- suicide attempts, 4-2d(2), 4-6c(2)
- Surgeon General of the Army, 1-6a
- survey, 2-2b(6)
 - questionnaires, 4-2c

- table of organization and equipment, p. vi, 2-5
- tactical operations center, 4-5*b*(1), 4-5*e*(3)
- tactical standing operating procedures, 3-2*a*
- task-organized CSC element, 2-8, 3-10*b*(3)
- technical channels, 3-9
- theater of operations, p. vi, 1-6*e*, 1-8, 4-2*a*, 4-7*b*
- threat, 4-5*b*(1), B-2*c*(7)
- time management, 4-2*a*(4)
- TO. *See* theater of operations.
- TOC. *See* tactical operations center.
- training and rehabilitation center, 1-6*b*
- training, tough realistic, B-2*a*(2)
- transition workshop, 4-2*e*
- traumatic incident, 4-3*b*(2)
- triage, 3-3*d*
- Tunisia Campaign, 1-6*b*
- UCMJ. *See* Uniform Code of Military Justice.
- Uniform Code of Military Justice, 1-3*c*
- unit
 - cohesion, 1-1*a*, 1-6*e*, 4-1*a*, 4-2*a*(4), 4-2*c*, B-2*a*(1)
 - ministry team, 4-1*e*
 - morale, 4-1*b*(2)
 - sleep plan, 4-2*b*, 4-6*d*(2)
 - surgeon, 4-2*d*
 - survey, 4-2*b*
 - ventilation, 8-2*i*
 - veterinary corps, D-8*f*
 - Vietnam, 1-6*d*
 - violent behavior, 7-1*a*(1)
 - war, 3-10*a*
 - neurosis, 1-6*a*
 - World War I, 1-6*a*
 - World War II, 1-6*b*
 - principles learned, 1-6*b*
 - wounded in action, 1-2*b*
 - WWI. *See* World War I.
 - WWII. *See* World War II.