



## Daily Open Source Infrastructure Report 12 October 2016

### Top Stories

- Nearly 100,000 people lost power throughout the South Bay area of California and the former Exxon Mobil Refinery in Torrance, California, experienced a flare-up October 11, forcing the facility to be evacuated and prompting a shelter-in-place order for all area residents for around 2 hours. – *KABC 7 Los Angeles* (See item [1](#))
- Volkswagen Group issued 3 separate recalls October 7 for around 334,000 of its model years 2007 – 2016 Volkswagen and Audi brand vehicles in select makes due to potential fuel leaks. – *Reuters* (See item [2](#))
- More than 5 million gallons of sewage flowed into the Ortega River in Florida October 8 after a wastewater lift station in southwest Jacksonville went offline during Hurricane Matthew. – *WTLV 12 Jacksonville* (See item [21](#))
- Mylan N.V. agreed October 7 to pay \$465 million to resolve allegations that it overcharged Medicaid programs by improperly classifying its EpiPen allergy treatment as a generic drug instead of a branded drug. – *Wall Street Journal* (See item [23](#))

---

### Fast Jump Menu

#### PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

#### SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

#### SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### FEDERAL and STATE

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. *October 11, KABC 7 Los Angeles* – (California) **Nearly 100K lose power in South Bay; flare-ups seen at Torrance Refinery.** Nearly 100,000 people lost power throughout the South Bay area of California and the former Exxon Mobil Refinery in Torrance, California, experienced a flare-up October 11, forcing the facility to be evacuated and shut down, prompting a shelter-in-place order for all area residents for around 2 hours, and prompting officials to close the Torrance Unified School District until October 12. Southern California Edison officials are investigating the cause of the outage.

Source: <http://abc7.com/news/flare-ups-at-torrance-refinery-amid-power-outage-reports/1549648/>

For another story, see item [30](#)

## Chemical Industry Sector

See items [25](#) and [30](#)

## Nuclear Reactors, Materials, and Waste Sector

Nothing to report

## Critical Manufacturing Sector

2. *October 7, Reuters* – (International) **Volkswagen, Audi recall 334,000 vehicles in North America due to fuel leaks.** Volkswagen Group issued 3 separate recalls October 7 for around 334,000 of its model years 2007 – 2016 Volkswagen and Audi brand vehicles in select makes due to potential fuel leaks, which could increase the risk of a vehicle fire. Volkswagen stated no fires have been reported.

Source: <http://www.reuters.com/article/us-volkswagen-usa-idUSKCN1271RL>

3. *October 7, SecurityWeek* – (International) **Over 500,000 IoT devices vulnerable to Mirai botnet.** Flashpoint security researchers discovered over 500,000 Internet of Things (IoT) devices were plagued with vulnerabilities that make the devices an easy target for Mirai or similar botnets that were responsible for massive distributed denial-of-service (DDoS) attacks against KrebsSecurity.com and Website hosting provider, OVH due to flawed software and firmware provided by China-based XiongMai Technologies, which includes a telnet service that is active by default and allows easy remote access to the devices. Security researchers revealed that video surveillance products from Dahua Technology accounted for 65 percent of compromised devices in the U.S.

Source: <http://www.securityweek.com/over-500000-iot-devices-vulnerable-mirai-botnet>

## Defense Industrial Base Sector

Nothing to report

## Financial Services Sector

Nothing to report

## Transportation Systems Sector

4. *October 11, KNPB 26 St. Joseph* – (Missouri) **Highway 36 reopens after rollover.** Eastbound lanes of U.S. Highway 36 near St. Joseph, Missouri, were closed for 4 hours October 10 while crews worked to clear the wreckage after a semi-truck overturned. No injuries were reported.  
Source: [http://www.newspressnow.com/news/local\\_news/highway-reopens-after-rollover/article\\_71b66857-af12-5ddb-b1b0-1807f3d8614c.html](http://www.newspressnow.com/news/local_news/highway-reopens-after-rollover/article_71b66857-af12-5ddb-b1b0-1807f3d8614c.html)
5. *October 11, KRGV 5 Weslaco* – (Texas) **Fatal accident closes expressway near San Benito.** Two lanes of southbound Highway 84 in San Benito, Texas, were closed for several hours October 10 while crews worked to clear the wreckage from a 2-vehicle crash that killed 1 person.  
Source: <http://www.krgv.com/story/33357232/major-accident-closes-expressway>
6. *October 10, MauiNow.com* – (Hawaii) **Haleakala Hwy crash claims life of two Maui women.** Haleakala Highway in Makawao, Hawaii, was closed for more than 7 hours October 8 following a four-vehicle crash that killed two people and injured five others.  
Source: <http://mauinow.com/2016/10/08/traffic-advisory-haleakala-hwy-road-closure/>
7. *October 9, Mount Pleasant Patch; Racine Journal Times* – (Wisconsin) **Man dies in early-morning accident on Highway 32.** Highway 32 in Racine County, Wisconsin, was closed for several hours October 9 after a man was fatally struck by a northbound vehicle while crossing the road.  
Source: <http://patch.com/wisconsin/mountpleasant/man-dies-early-morning-accident-highway-32>
8. *October 9, New England Cable News* – (Vermont) **Police: 5 high school students killed in car crash on I-89 in Williston, Vermont.** Interstate 89 in Williston, Vermont, was closed for nearly 9 hours October 8 – October 9 after a vehicle traveling northbound in the southbound lane struck another vehicle, killing five people. The wrong-way driver reportedly stole a police cruiser following the first accident and crashed into seven more vehicles.  
Source: <http://www.necn.com/news/new-england/Police-5-People-Dead-After-Car-Crash-on-I-89-in-Williston-Vermont-396446321.html>
9. *October 9, GephardtDaily.com* – (Utah) **2 critically injured in multi-vehicle crash on I-15 southbound near Woods Cross.** A six-vehicle crash prompted the closure of the southbound lanes of Interstate 15 near Wood Cross, Utah, for about 2 hours October 9

while crews worked to clear the wreckage.

Source: <http://gephardtaily.com/local/multi-car-crash-snarls-traffic-on-i-15-southbound-in-woods-cross/>

10. *October 8, KSNV 3 Las Vegas* – (Nevada) **Man killed, two women injured in 2-car rollover on I-215 near Pecos; victim identified.** A two-vehicle rollover crash forced the closure of Interstate 215 near Henderson, Nevada, for several hours October 8 while officials investigated the scene. One person was killed and two others were transported to an area hospital with injuries.  
Source: <http://news3lv.com/news/local/man-killed-two-women-injured-in-2-car-rollover-on-i-215-near-pecos-closures-likely>
11. *October 8, WWSB 40 Sarasota* – (Florida) **All lanes on I-75 reopen near Ellenton.** Two southbound lanes of Interstate 75 near Ellenton, Florida, were closed for more than 5 hours October 8 after a hole was discovered on the road.  
Source: [http://www.mysuncoast.com/news/local/two-lanes-on-i--closed-in-manatee-county/article\\_f830c894-8d90-11e6-b5ae-7f9545f47886.html](http://www.mysuncoast.com/news/local/two-lanes-on-i--closed-in-manatee-county/article_f830c894-8d90-11e6-b5ae-7f9545f47886.html)
12. *October 8, WHIO 7 Dayton* – (Ohio) **Dump truck crash spills manure on N I-75 in Dayton.** Two lanes of Interstate 75 in Dayton, Ohio, were closed for more than 3 hours October 8 after two dump trucks collided, spilling manure and fuel onto the roadway. No injuries were reported and the cause of the accident remains under investigation.  
Source: <http://www.whio.com/news/dump-truck-crash-spills-manure-dayton/OFbXjZbIvgSUkoCpHpjYIO/>

## **Food and Agriculture Sector**

13. *October 11, U.S. Department of Agriculture* – (California; Utah) **Kraft Heinz recalls ready-to-eat Lunchables Ham and American Cracker Stackers product due to misbranding and undeclared allergens.** Kraft Heinz Company issued a recall October 9 for approximately 959 pounds of its ready-to-eat “Lunchables Ham and American Cracker Stackers” products sold in 3.4-ounce packages due to misbranding and undeclared wheat and soy after the company received a consumer complaint. No adverse reactions have been reported and the products were shipped to retail locations in California and Utah.  
Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2016/recall-093-2016-release>
14. *October 10, U.S. Department of Agriculture* – (Washington) **FSIS issues public health alert for chicken product due to possible Salmonella contamination.** The U.S. Department of Agriculture’s Food Safety and Inspection Service (FSIS) issued a public health alert October 9 due to potential Salmonella contamination in Costco Wholesale Corporation’s “Costco Rotisserie Chicken Salad” products after the U.S. Centers for Disease Control and Prevention notified FSIS of a potential link between the rotisserie chicken salad products and four Salmonella case patients. The affected products were sold at the Costco store in Lynwood, Washington.  
Source: <http://www.fsis.usda.gov/wps/portal/fsis/newsroom/news-releases-statements->

[transcripts/news-release-archives-by-year/archive/2016/pha-100916/](https://www.fsis.usda.gov/transcripts/news-release-archives-by-year/archive/2016/pha-100916/)

15. *October 9, U.S. Department of Agriculture* – (National) **Silver Springs Farms, Inc. recalls beef products due to possible E. coli O157:H7 adulteration.** Silver Springs Farms, Inc. expanded a previous recall October 7 to include an additional 7,230 pounds of its ground beef and burger products, as well as an undetermined amount of its sandwich steak products due to potential E. coli O157:H7 adulteration discovered during a routine verification sampling. No illnesses or adverse reactions have been reported and the products were shipped to a distributor in Virginia and institutional food establishments in three other States.  
Source: <http://www.fsis.usda.gov/wps/portal/fsis/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2016/recall-091-2016-release-exp>
16. *October 8, Easton Express-Times* – (Pennsylvania) **Explosion at Forks Twp. manufacturer leads to long night.** The Ecopax LLC facility in Forks Township, Pennsylvania, was shut down until further notice October 7 following an explosion and fire that reportedly began due to a static spark inside a silo used to store plastic waste from food containers. Firefighters worked for about 7 hours from October 7 – October 8 to extinguish the fire.  
Source: [http://www.lehighvalleylive.com/easton/index.ssf/2016/10/explosion\\_at\\_forks\\_twp\\_manufac.html](http://www.lehighvalleylive.com/easton/index.ssf/2016/10/explosion_at_forks_twp_manufac.html)
17. *October 8, U.S. Food and Drug Administration* – (Colorado; Kansas) **Osage Gardens Inc. recalls Osage Gardens Organic 2oz Micro Greens because of possible health risk.** Osage Gardens Inc. issued a recall October 7 for its Osage Gardens Organic Micro Greens products sold in 2-ounce packages due to potential Salmonella contamination after Federal inspectors discovered Salmonella in the finished products during routine sampling. No illnesses have been reported and the products were distributed to Whole Foods Market Inc. stores in Colorado and Kansas.  
Source: <http://www.fda.gov/Safety/Recalls/ucm524638.htm>
18. *October 7, U.S. Food and Drug Administration* – (International) **Le Petit Belge, LLC issues allergy alert on undeclared milk in Belgian Boys Mini Pancakes.** Le Petit Belge, LLC issued a voluntary recall October 7 for 480 cases of its Belgian Boys Mini Pancakes products due to misbranding and undeclared milk after it was discovered that product was distributed in packaging that failed to declare the presence of milk. The products were sold to distributors in four States and Canada for further distribution to retail establishments.  
Source: <http://www.fda.gov/Safety/Recalls/ucm524623.htm>
19. *October 7, U.S. Food and Drug Administration* – (National) **Nestle USA initiates voluntary recall of Nestle Drumstick Club 16 count Variety and 24 count Vanilla Pack due to possible health risk.** Nestle USA, Inc. issued a voluntary recall October 7 for its Nestle Drumstick Club 16 count Variety Pack and 24 count Vanilla Pack products due to the potential presence of *Listeria monocytogenes* after contact surfaces

in an area where the products are produced tested positive for Listeria. No illnesses have been reported and the products were distributed nationwide.

Source: <http://www.fda.gov/Safety/Recalls/ucm524634.htm>

## **Water and Wastewater Systems Sector**

20. *October 11, Lakeland Ledger* – (Florida) **8,000 gallons of sewage spill after ditch collapses in Polk.** Officials from Lakeland Water Utilities reported October 10 that approximately 8,000 gallons of untreated sewage spilled into a drainage ditch east of Lakeland, Florida, October 9 after a dirt embankment surrounding a pressurized pipeline collapsed. Crews contained the spill and Polk County environmental officials were testing the area to determine the degree of contamination.

Source: <http://www.newschief.com/news/20161010/8000-gallons-of-sewage-spill-after-ditch-collapses-in-polk>

21. *October 8, WTLV 12 Jacksonville* – (Florida) **5 million gallons of sewage dump into Ortega River during Hurricane Matthew.** More than 5 million gallons of sewage flowed into the Ortega River in Florida October 8 after a wastewater lift station in southwest Jacksonville went offline during Hurricane Matthew. The Jacksonville Environmental Agency is working with the Florida Department of Environmental Protection to monitor the river.

Source: <http://www.firstcoastnews.com/news/local/hurricane-preparedness/5-million-gallons-of-sewage-dump-into-ortega-river-during-hurricane-matthew/331054660>

## **Healthcare and Public Health Sector**

22. *October 7, U.S. Department of Justice* – (Florida) **Owner of Florida home health agency convicted in multimillion-dollar health care fraud scheme.** The owner of Tampa, Florida-based Gold Care Home Health Services Inc. was convicted October 6 for her role in a \$2.5 million health care fraud and money laundering scheme where Gold Care submitted millions of dollars' worth of fraudulent Medicare claims for home health services that had not been provided and were not prescribed by a medical doctor. The charges state that the owner used a straw owner to carry out and conceal the scheme, and laundered about \$2 million of the fraudulent earnings through shell companies in Hialeah, Florida.

Source: <https://www.justice.gov/opa/pr/owner-florida-home-health-agency-convicted-multimillion-dollar-health-care-fraud-scheme>

23. *October 7, Wall Street Journal* – (National) **Mylan to pay \$465 million to settle Medicaid claims.** Mylan N.V. agreed October 7 to pay \$465 million to resolve allegations that it overcharged Medicaid programs by improperly classifying its EpiPen allergy treatment as a generic drug instead of a branded drug, which allowed the company to pay a smaller rebate on EpiPen sales to Medicaid. As part of the settlement, Mylan announced plans to launch a \$300 generic version of the emergency allergy treatment.

Source: <http://www.wsj.com/articles/mylan-to-pay-465-million-in-epipen-settlement-1475874312>

## Government Facilities Sector

24. *October 10, Arizona Republic* – (Arizona) **Freak storm inundates Safford, forces 2-week school closures.** The superintendent of the Safford Unified School District in Safford, Arizona, closed all of the district’s schools until October 24 following severe rain and hail storms in the area October 8 that caused major flood damage to several schools.  
Source: <http://www.azcentral.com/story/news/local/arizona/2016/10/10/freak-storm-inundates-safford-forces-2-week-school-closures/91871984/>
25. *October 10, KSTU 13 Salt Lake City* – (Utah) **11 students hospitalized after suspected chemical exposure at Spanish Fork school.** The Mountainland Applied Technology College in Spanish Fork, Utah, was evacuated and closed for several hours October 10 after cleaning chemicals were reportedly mixed with ammonia in a campus cosmetology lab, sending 11 students to an area hospital. The cause of the chemical reaction remains under investigation.  
Source: <http://fox13now.com/2016/10/10/11-students-hospitalized-after-suspected-chemical-exposure-at-spanish-fork-school/>

For another story, see item [1](#)

## Emergency Services Sector

26. *October 10, Winston-Salem Journal* – (North Carolina) **Rising floodwaters forces evacuation of nearly 800 inmates from Goldsboro prison.** Officials from the North Carolina Department of Public Safety’s Division of Adult Correction and Juvenile Justice evacuated 797 inmates from the Neuse Correctional Institution in Goldsboro to other State prisons due to rising floodwaters from Hurricane Matthew.  
Source: [http://www.journalnow.com/news/state\\_region/rising-floodwaters-forces-evacuation-of-nearly-inmates-from-goldsboro-prison/article\\_2251802e-8f34-11e6-ba3e-83ec7dc63acc.html](http://www.journalnow.com/news/state_region/rising-floodwaters-forces-evacuation-of-nearly-inmates-from-goldsboro-prison/article_2251802e-8f34-11e6-ba3e-83ec7dc63acc.html)

## Information Technology Sector

27. *October 11, SecurityWeek* – (International) **Malware abuses Windows Troubleshooting Platform for distribution.** Proofpoint security researchers discovered a malicious backdoor, dubbed “LatentBot” was abusing the Microsoft Windows Troubleshooting Platform (WTP) feature to trick users into executing the malicious payload, which was being distributed via email attachments with a lure document that once opened, launches a digitally signed DIAGCAB file containing PowerShell commands that download and install the backdoor trojan. Proofpoint reported the malware allows an attacker to perform surveillance, steal information, and gain remote access operations.  
Source: <http://www.securityweek.com/malware-abuses-windows-troubleshooting-platform-distribution>

28. *October 9, Softpedia* – (International) **Alleged Lizard Squad and PoodleCorp members arrested.** Authorities in the U.S. and the Netherlands arrested two individuals who allegedly operated the shenron.lizardsquad.org, lizardsquad.org, stresser.poodlecorp.org, and poodlecorp.org Websites, which offered distributed denial-of-service (DDoS) services for hire as part of the Lizard Squad and PoodleCorp hacking crews. Officials stated the investigation into the hacking groups began when authorities were investigating the phonebomber.net service, a Website with ties to other sites operated by the hacking groups that allowed anyone to purchase on-demand harassment phone calls.  
Source: <http://news.softpedia.com/news/alleged-lizard-squad-and-poodlecorp-members-arrested-509103.shtml>
29. *October 9, Softpedia* – (International) **New JavaScript malware shuts down your PC if you terminate its process.** Kahu Security researchers discovered a new malware variant was hijacking victims' browsers' homepages and shutting down the user's computer if the user detects the malware and attempts to terminate its process in order to hide a series of operations that alter the underlying operating system (OS) settings on a victim's device. Researchers found the malware is delivered via spam email as a malicious file attachment coded in JavaScript and is executed via the Microsoft Windows Script Host.  
Source: <http://news.softpedia.com/news/new-javascript-malware-shuts-down-your-pc-if-you-terminate-its-process-509097.shtml>
30. *October 7, SecurityWeek* – (International) **GE machine monitoring system plagued by serious flaw.** The Industrial Control Systems Cyber Emergency Response Team (ICS-CERT) warned a serious vulnerability plaguing the serial and universal serial bus (USB) versions of General Electric's Bently Nevada 3500/22M machine monitoring system could be exploited by remote attackers to gain unauthorized access to the system with elevated privileges due to the existence of several open ports on the affected device. The devices are used in the energy and chemical sectors, and the company advised users to segment networks, leverage system hardening techniques, and implement bump-in-the-wire solutions to secure the devices.  
Source: <http://www.securityweek.com/ge-machine-monitoring-system-plagued-serious-flaw>

For another story, see item [3](#)

### Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## Communications Sector

Nothing to report

## Commercial Facilities Sector

31. *October 11, WHTM 27 Harrisburg* – (Pennsylvania) **Snyder County fire destroys Davy Jones landmark.** The Beaver Lutheran Church in Beavertown, Pennsylvania, was considered a total loss October 11 following a fire. No injuries were reported and the cause of the fire remains under investigation.  
Source: <http://abc27.com/2016/10/11/snyder-county-fire-destroys-davy-jones-landmark/>
32. *October 10, Orange County Register* – (California) **70 evacuated, 15 rescued off balconies after fire at Orange retirement home.** About 70 residents were displaced October 9 following a 5-alarm fire at the Palmyra, Richlyn & Fern Gardens Senior Apartment Homes in Orange, California, which prompted the response of around 100 firefighters. Three people were taken to an area hospital and the cause of the fire remains under investigation.  
Source: <http://www.ocregister.com/articles/senior-731608-fire-firefighters.html>
33. *October 10, Cape Cod Times* – (Massachusetts) **Canal View Apartments fire caused more than \$1M in damage.** An October 10 fire at the Canal View Apartments in Bourne, Massachusetts, caused more than \$1 million in damage and displaced 16 people. No injuries were reported and the cause of the fire remains under investigation.  
Source: <http://www.capecodtimes.com/news/20161010/update-canal-view-apartments-fire-caused-more-than-1m-in-damage>
34. *October 9, WFMZ 69 Allentown* – (Pennsylvania) **No injuries reported in fire at Parkland View Apartments.** An October 9 fire at the Parkland View Apartments in Upper Macungie Township, Pennsylvania, displaced 23 people and caused significant damage to the building. No injuries were reported and the cause of the fire remains under investigation.  
Source: <http://www.wfmz.com/news/news-regional-lehighvalley/crews-respond-to-apartment-fire-in-lehigh-county/42031628>
35. *October 9, WTOV 9 Steubenville* – (Ohio) **Massive fire decimates Martins Ferry businesses.** Authorities are investigating the cause of a fire that destroyed six businesses in Martins Ferry, Ohio, October 9. No injuries were reported.  
Source: <http://wto9.com/news/local/fire-destroys-six-businesses-in-martins-ferry>
36. *October 8, San Francisco Chronicle* – (California) **3-alarm fire in Concord displaces 25 residents.** A 3-alarm fire displaced 25 people and caused an estimated \$900,000 in damage to an apartment building in Concord, California, October 7. Four people were injured and the cause of the fire remains under investigation.  
Source: <http://www.sfgate.com/bayarea/article/Three-alarm-fire-in-Concord-displaces-25-residents-9956890.php>

37. *October 7, Associated Press* – (Pennsylvania) **Police say couple who served as church officers stole \$174k.** Authorities reported October 7 that a couple serving as officers at the Holy Trinity Lutheran Church in Kingston, Pennsylvania, allegedly embezzled more than \$174,000 from the church since 2010. The charges allege that the duo used an unauthorized debit card to make purchases and withdraw cash from the church bank account, among other illicit actions.  
Source: <http://www.timesunion.com/news/crime/article/Police-say-couple-who-served-as-church-officers-9917351.php>

## **Dams Sector**

38. *October 10, Lewiston Sun Journal* – (Maine) **Pleasant Lake Dam replacement to begin.** Officials announced October 10 that the replacement of Pleasant Lake Dam in Casco, Maine, is expected to begin October 13 after leakage and structural deterioration at the spillway dam were reported by the Maine Emergency Management Agency in 2014. The project is slated to be completed by November 2016.  
Source: <http://www.sunjournal.com/news/news/0001/11/30/pleasant-lake-dam-replacement-begin/1992803>



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:	Send mail to <a href="mailto:cikr.productfeedback@hq.dhs.gov">cikr.productfeedback@hq.dhs.gov</a> or contact the DHS Daily Report Team at (703) 942-8590
Subscribe to the Distribution List:	Visit the <a href="#">DHS Daily Open Source Infrastructure Report</a> and follow instructions to <a href="#">Get e-mail updates when this information changes</a> .
Removal from Distribution List:	Send mail to <a href="mailto:support@govdelivery.com">support@govdelivery.com</a> .

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.